

## Researchers use nitrogen-based compounds as new high-performance energy storage materials

March 19 2024, by Jennifer Opel



Detonation pressure of the synthesized high-pressure scandium polynitrides and their characteristic oligo- and poly-nitrogen structural units, accountable for the high-energy-density property of the compounds. Credit: UBT

Researchers at the University of Bayreuth have synthesized unique scandium polynitrides under extreme conditions, with exotic chemistry and potential applications as high-energy-density materials.



High-energy density materials (HEDMs) are pivotal in various applications due to their superior energetic performance, which includes high detonation velocity, detonation pressure, and energy storage capacity. Their application in <u>space exploration</u> as rocket propellants and in defense as explosives is of critical importance for modern society.

The unique chemical properties of these materials, such as the ability to store vast amounts of energy in a relatively small volume, make them indispensable for advancing technology in areas requiring high-power outputs and compact energy storage solutions.

Nitrogen-bearing compounds are among the most effective choices for HEDMs. Nitrogen's ability to form various stable and energetically favorable bonds of different order, single N-N, double N=N, or triple N $\equiv$ N, allows for the synthesis of a wide range of compounds with tailored properties.

Nitrogen-rich materials are capable of releasing a huge amount of energy during decomposition or combustion (when single bonds are replaced by triple ones), making them highly effective as propellants and explosives. The decomposition of <u>nitrogen</u>-bearing compounds often results in the formation of nitrogen gas ( $N_2$ ), which is a stable, inert, and environmentally friendly product.

For mastering HEDMs, the <u>molecular weight</u> is a very important parameter: the lighter the elements forming a solid, the higher the gravimetric energy density of the compound. Since scandium is the lightest transition metal, its polynitrides (compounds containing numerous single-bonded nitrogen atoms) are especially promising as HEDMs, as was predicted in many computational studies. However, hitherto scandium polynitrides have been unknown.

Researchers from the University of Bayreuth report on four novel



scandium nitrides,  $Sc_2N_6$ ,  $Sc_2N_8$ ,  $ScN_5$ , and  $Sc_4N_3$ , in the journal *Nature Communications*.

"The two novel catenated nitrogen units N66- and N86- obtained in this study, significantly expand the list of anionic nitrogen oligomers that make a remarkable contribution to the fundamental understanding of nitrogen chemistry under <u>high pressure</u>," says Ph.D. student Andrey Aslandukov, first author of the paper.

"Synthesized  $Sc_2N_6$ ,  $Sc_2N_8$ , and  $ScN_5$  solids are promising high-energydensity materials with calculated volumetric energy density, detonation velocity, and detonation pressure up to three times higher than those of common explosives trinitrotoluene (TNT). High-pressure chemistry demonstrates the existence and diversity of polynitrides, opening perspectives for their applications in science and technology," says Prof. Leonid Dubovinsky.

**More information:** Andrey Aslandukov et al, Stabilization of  $N_6$  and  $N_8$  anionic units and 2D polynitrogen layers in high-pressure scandium polynitrides, *Nature Communications* (2024). <u>DOI:</u> <u>10.1038/s41467-024-46313-9</u>

Provided by Bayreuth University

Citation: Researchers use nitrogen-based compounds as new high-performance energy storage materials (2024, March 19) retrieved 8 May 2024 from <u>https://phys.org/news/2024-03-nitrogen-based-compounds-high-energy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.