

## **Realizing clean qubits for quantum computers using electrons on helium**

March 28 2024



Illustration depicting a qubit made out of an electron (small sphere) floating on helium (gray block). Such qubits could form the basis of quantum computers. Credit: RIKEN Center for Quantum Computing



Future quantum computers could be based on electrons floating above liquid helium, according to <u>study</u> by a RIKEN physicist and collaborators, appearing in *Physical Review Applied*.

Today's computers are based on shuttling electrons around in silicon. Electrons in silicon could also form the basis of a completely different breed of computers—quantum computers. Numerous efforts are underway to realize quantum computers using electrons in various solidstate crystals, starting with silicon.

By exploiting the quantum nature of tiny objects, quantum computers promise to revolutionize computing by solving problems that are intractable using the most powerful supercomputers available today.

While efforts to create qubits using electrons in solid-state crystals have achieved significant success, increasing the number of qubits (the quantum equivalent of bits) is challenging because defects and impurities in solid-state crystals create unpredictable electrical potentials, making it difficult to produce many uniform qubits.

One way to overcome this problem would be to use electrons floating in a vacuum as qubits, since vacuum is defect free.

"Solid-state crystals will always have some defects, which means we cannot create a perfect environment for electrons," says Erika Kawakami of the RIKEN Center for Quantum Computing. "That is problematic if we want to create a lot of uniform qubits. And so it's better to have qubits in vacuum."

In 1999, researchers theoretically proposed to realize qubits based on electrons floating on liquid helium for the first time. In this physical



system, electrons float in vacuum slightly above the surface of liquid helium. This was a groundbreaking proposal, but it was limited to basic operations of quantum gates because quantum-computer research was still in its infancy.

Now, in a theoretical study, the team has shown how the quantum gates can be realized more concretely using electrons floating above <u>liquid</u> <u>helium</u>.

Central to their proposal is a hybrid qubit involving the vertically quantized charge state and the spin state of a floating electron. The charge state of the electron allows it to be easily manipulated over moderate distances using an <u>electric field</u>, while the spin state can be used to stably store data. The interaction between the spin and charge states of the electron enables data to be transferred between the two electron properties.

"We've proposed how to realize one-qubit and two-qubit gates using electrons on helium and estimated their fidelities," says Kawakami. "We've also specified how we can scale up the number of qubits. That is something new."

Their system uses an array of tiny ferromagnetic pillars to trap <u>electrons</u> above helium. It should be possible to squeeze more than 10 million <u>qubits</u> into an area the size of a postage stamp.

The team now intends to embrace the challenge of implementing their proposal experimentally.

**More information:** Erika Kawakami et al, Blueprint for quantum computing using electrons on helium, *Physical Review Applied* (2023). DOI: 10.1103/PhysRevApplied.20.054022. On *arXiv*: DOI: 10.48550/arxiv.2303.03688



## Provided by RIKEN

Citation: Realizing clean qubits for quantum computers using electrons on helium (2024, March 28) retrieved 25 June 2024 from <u>https://phys.org/news/2024-03-qubits-quantum-electrons-helium.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.