


Scientists propose theoretical design strategy for room-temperature metal-organic multiferroics

March 28 2024, by Zhang Nannan



Room-Temperature Organometallic Multiferroics

Schematic illustration of designing two-dimensional room-temperature multiferroic materials through d-p spin coupling and symmetry-breaking hexagonal heterocycles. Credit: Li Xiangyang

A research group led by Prof. Li Xiangyang from the Hefei Institutes of

Physical Science of the Chinese Academy of Sciences has theoretically predicted a series of multiferroic materials that can be applied in room-temperature environments by utilizing the d-p spin coupling combined with center-symmetry-breaking organic heterocycles in two-dimensional (2D) Cr-based metal-organic frameworks.

The results are [published](#) in *Nano Letters*.

Multiferroic materials, characterized by the coexistence of two or three ferroic orders, have emerged as a key research platform, driving advances in information storage, sensing technologies, electronics, and energy conversion. The advent of 2D materials has revitalized the field of multiferroics, promising thinner, more efficient, and versatile functionalities. However, despite significant progress in the field, the number of 2D multiferroics with room temperature magnetism is still notably low.

To overcome this challenge, the researchers proposed a novel approach to achieve 2D room-temperature multiferroics in 2D [metal-organic frameworks](#) (MOFs) by exploiting the d-p spin coupling in combination with center-symmetry-breaking six-membered heterocyclic ligands.

Using this method, they investigated 128 different 2D MOFs and discovered three unique multiferroic materials: $\text{Cr}(1,2\text{-oxazine})_2$, $\text{Cr}(1,2,4\text{-triazine})_2$, and $\text{Cr}(1,2,3,4\text{-triazine})_2$. All of these materials exhibit both ferrimagnetism and ferro/antiferroelectricity at room temperature. The room temperature ferrimagnetic order is thought to arise from the strong d-p direct spin coupling between Cr cations and ligand anions.

Specifically, $\text{Cr}(1,2\text{-oxazine})_2$ exhibits ferroelectric properties, while the latter two exhibit antiferroelectric properties. Impressively, each of these materials possesses suitable barriers for polarization switching.

"Our study provides a promising platform for the design of 2D [room-temperature multiferroic materials](#)," said Prof. Li Xiangyang.

More information: Qingqing Feng et al, A Route to Two-Dimensional Room-Temperature Organometallic Multiferroics: The Marriage of d–p Spin Coupling and Structural Inversion Symmetry Breaking, *Nano Letters* (2024). [DOI: 10.1021/acs.nanolett.4c00210](https://doi.org/10.1021/acs.nanolett.4c00210)

Provided by Chinese Academy of Sciences

Citation: Scientists propose theoretical design strategy for room-temperature metal-organic multiferroics (2024, March 28) retrieved 27 April 2024 from <https://phys.org/news/2024-03-scientists-theoretical-strategy-room-temperature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.