


# Recent advances in application of polysaccharides in cosmetics

April 10 2024



Promoting effect of polysaccharide on the wound repair process. Credit: Qingyuan Wu, et al.

With the increasing application of natural ingredients in the cosmetics

industry, the beneficial properties of natural polysaccharides have been effectively harnessed. Certain polysaccharides exhibit superior moisturizing capabilities compared to hyaluronic acid, while others demonstrate whitening effects equivalent to arbutin. As such, the application and development of some polysaccharides are expected to replace some artificial and expensive traditional cosmetics.


In a recent review [published](#) in the *Journal of Dermatologic Science and Cosmetic Technology*, a team of researchers from Inner Mongolia University and The Sorbonne University of France explore the [biological mechanisms](#) underlying the cosmetic properties of polysaccharides, including moisturizing, whitening, anti-aging, and skin repair.

"Due to the complex macromolecular structure of polysaccharides, they often contain multiple active fragments, which can promote various activities through distinct pathways," says corresponding author Yongmin Zhang. "Factors such as [molecular weight](#), monosaccharide composition, and [functional groups](#) impact their cosmetic efficacy, with optimal results achieved when these structural parameters are controlled within specific ranges."

Moreover, the authors noted that the properties of polysaccharides can be fine-tuned by adjusting extraction methods and using polysaccharide modification techniques to enhance their cosmetic activity.

"Currently, the research on the mechanism of activity may not be comprehensive, needing further study on the monosaccharides, functional groups, and structural fragments with the highest activity among polysaccharides," adds Zhang. "Understanding how the highly active polysaccharide binds to the receptor and finally acts on the cell is important. This knowledge will enable the matching of regulated polysaccharide structures with aesthetic activity detection."

The authors concluded that by identifying the most effective structural units of polysaccharides in exerting aesthetic activity, cosmetic efficacy may be maximized, potentially further enhancing the application value of [polysaccharides](#) in the cosmetics industry.



Mechanism diagram of polysaccharide regulating melanin synthesis through two pathways. Credit: Qingyuan Wu, et al.

**More information:** Qingyuan Wu et al, Recent advances on application of polysaccharides in cosmetics, *Journal of Dermatologic*

*Science and Cosmetic Technology* (2024). [DOI: 10.1016/j.jdsct.2024.100004](https://doi.org/10.1016/j.jdsct.2024.100004)

Provided by KeAi Communications Co.

Citation: Recent advances in application of polysaccharides in cosmetics (2024, April 10)  
retrieved 2 May 2024 from  
<https://phys.org/news/2024-04-advances-application-polysaccharides-cosmetics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.