


New class of antimicrobials discovered in soil bacteria

April 17 2024



Umbrella-shaped antibacterial toxin particles drifting toward and engaging a bacterial target cell. The toxins are derived from *Streptomyces* and potently inhibit the growth of competing species in the same genus. Credit: Angela Gao

Researchers have discovered toxic protein particles, shaped like umbrellas, that soil bacteria known as *Streptomyces* secrete to squelch

competitors, especially others of their own species.

The discovery of the umbrella [toxin](#) particles and related information about their structures, composition, and mode of action were [published](#) in *Nature*.

The umbrella toxin proteins are the latest example of these bacteria's varied, combative strikes on their microscopic rivals. The crowded, diverse bacteria communities in which they live are a melee of antimicrobial attacks, counterattacks, and defenses.

Ironically, many clinically used antibiotics are derived directly from, or are inspired by, molecules that bacteria use against each other in their natural habitat. Streptomyces' chemical weaponry against their competitors is one of the richest sources of such molecules. Among them is the common, broad-spectrum drug streptomycin.

What makes these newly detected antibacterial toxins different is that, unlike the Streptomyces' small-molecule antibiotics, umbrella toxins are large complexes composed of multiple proteins. They are also far more specific in the bacteria they target.

The authors of the paper speculate that these properties of umbrella toxins explain why they escaped discovery for more than 100 years of research on toxins produced by Streptomyces.

Genes encoding umbrella toxins were originally uncovered through a bioinformatics search for new bacterial toxins. In biochemical and genetic experiments led by Qinqin Zhao in Joseph Mougous' microbiology lab at the University of Washington School of Medicine, the scientists learned that these toxins are associated with other proteins in a large complex.

Cryo-electron microscopy of these protein complexes was performed by Young Park in the laboratory of David Veessler, professor of biochemistry at the UW School of Medicine and an investigator of the Howard Hughes Medical Institute.

These studies revealed that the toxin complexes Qinqin isolated adopt a striking appearance befitting their discovery in Seattle. They look like umbrellas.

"The shape of these particles is quite peculiar, and it will be interesting in future work to learn how their unusual morphology helps them eliminate target bacteria," noted Mougous, a professor of microbiology at the UW School of Medicine and a Howard Hughes Medical Institute investigator.

The scientists then sought to determine the targets of these toxins by screening their effects on every organism they could conceivably target, from fungi to 140 different bacteria, including some taken from sorghum plants in the lab of study author Devin Coleman at the University of California-Berkeley and the U.S. Department of Agriculture Agricultural Research Service.

Among these potential adversaries, the toxins specifically targeted their own brethren: other *Streptomyces* species.

"We think this exquisite specificity may be due to the proteins that make up the spokes of the umbrella, which vary across the particles. These include proteins that might latch onto specific sugars found on the surface of competitor bacteria," commented study author S. Brook Peterson, a senior scientist in the Mougous lab.

By analyzing the thousands of publicly available bacterial genomes, study authors Dapeng Zhang of St. Louis University and his graduate

student Youngjun Tan found that many other species of bacteria also have the genes to manufacture umbrella particle toxins. Interestingly, these species all form branching filaments, an unusual mode of growth among bacteria.

In addition to the many questions remaining to be answered about the basic biology of umbrella toxin particles, Mougous and his colleagues are intrigued by their potential clinical applications.

They suspect that the bacteria that cause tuberculosis and diphtheria may be sensitive to umbrella toxins. They note these same bacteria have become resistant to traditional antibiotics. Umbrella toxin particles might be worth exploring, the scientists suggested, for their potential to subdue these serious disease-causing bacteria.

More information: Joseph Mougous et al, *Streptomyces* umbrella toxin particles block hyphal growth of competing species, *Nature* (2024).
[DOI: 10.1038/s41586-024-07298-z](https://doi.org/10.1038/s41586-024-07298-z).
www.nature.com/articles/s41586-024-07298-z

Provided by University of Washington School of Medicine

Citation: New class of antimicrobials discovered in soil bacteria (2024, April 17) retrieved 21 June 2024 from <https://phys.org/news/2024-04-class-antimicrobials-soil-bacteria.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.