

Restoring coastal habitat boosts wildlife numbers by 61%—but puzzling failures mean we can still do better

April 22 2024, by Michael Sievers, Christopher Brown and Rod Connolly



Credit: Pixabay/CC0 Public Domain

Humans love the coast. But we love it to death, so much so we've destroyed valuable coastal habitat—in the case of some types of habitat,



most of it has gone.

Pollution, <u>coastal development</u>, <u>climate change</u> and many other <u>human</u> <u>impacts</u> have degraded or destroyed swathes of mangrove forests, saltmarshes, seagrass meadows, macroalgae (seaweed) forests and coral and shellfish reefs. We've lost a staggering <u>85% of shellfish reefs</u> around the world and coral is bleaching globally.

When healthy, these coastal habitats help feed the world by <u>supporting</u> <u>fisheries</u>. They are home to more than 100 species of charismatic marine megafauna, ranging from sharks to dugongs. They sequester carbon, thus helping to <u>slow climate change</u>. The list goes on.

Healthy coastal habitats are the gift that keeps on giving. We need them back, so there's a lot of enthusiasm for restoring these habitats. For example, we can plant mangroves, build new shellfish reefs and reduce pollution to help seagrass grow back.

But we want to recover more than just the habitats. We want the animals they support too. We need to know if restoration is helping animals.

We <u>analyzed restoration projects</u> around the world to assess how animals are benefitting. Compared to degraded sites, restored habitats have much larger and more diverse animal populations. Overall, animal numbers and the types of animals in restored habitats are similar to those in natural habitats.

So restoration works. But outcomes for animals vary from project to project. Not all projects deliver the goods. As a result, resources are wasted and humanity misses out on the huge benefits of healthy coastal habitats.

Animals can respond well to restoration



We collated over 5,000 <u>data points</u> from 160 studies of coastal <u>restoration projects</u> around the world.

Excitingly, animal populations and communities were remarkably similar to those in comparable undisturbed natural sites. For example, restoring seagrass off Adelaide's coast <u>brought back invertebrates</u>, which are food for many fish species Australians love to catch, such as Australasian snapper. Invertebrate numbers here were comparable to nearby natural <u>seagrass meadows</u>.

Overall, our review found animal populations in restored coastal habitats were 61% larger and 35% more diverse than in unrestored, degraded sites. So restoration produces serious benefits.

Some projects recorded dramatic increases. For instance, after oyster reefs were restored in Pumicestone Passage, Queensland, fish <u>numbers</u> <u>increased</u> by more than ten times. The number of fish species increased almost fourfold.

And animals can occupy newly restored sites surprisingly quickly. Fish and invertebrate numbers in restored <u>seagrass</u> and <u>mangroves</u> can match those in natural sites within a year or two. This happens even though the vegetation is far sparser in restored areas.

Our study shows that efforts to restore coastal habitat certainly can help animals thrive.

Results are not guaranteed

Although restoration generally helped animals, good outcomes are not guaranteed. We found many projects where animal numbers or diversity barely increased. It was not clear why some projects were great for



animals and others had lackluster results.

Some restoration sites could be in places where animals cannot easily find them.

In other cases, actions to restore the habitat may simply not work. Despite our best efforts, we failed to create suitable environments.

It could be that animals are returning to restored habitats, but we're not capturing them with our monitoring.

We sorely need more consistent restoration outcomes. We may lose <u>community support</u> for restoration if, for example, it doesn't deliver on promises of improved fisheries.

We are still working out how to restore coastlines effectively. Clearly, more work is needed to improve techniques and the monitoring of animal numbers.

Global alliances and groups are developing <u>standardized frameworks</u> to guide restoration practice and to report on project designs and outcomes. Such strategies and co-ordination promise to deliver more consistent benefits.

New technologies can improve monitoring

Monitoring animals and restoration outcomes in coastal habitats is challenging. These aquatic habitats are structurally complex, often impenetrable and hard to navigate, and can be dangerous.

New technologies, such as <u>artificial intelligence</u> (AI) and environmental DNA (<u>eDNA</u>), allow us to collect more and better data on which animals are present and how they use these habitats. We're rapidly becoming less



reliant on hauling in nets or diving down to count animals.

Artificial intelligence (AI) can be used, for example, to extract information from underwater cameras. We can monitor animals more often, in more places, for less cost.

AI algorithms were recently used to automatically <u>identify</u>, <u>size and</u> <u>count fish</u> in videos taken on restored oyster reefs in Port Phillip Bay, Melbourne. These data were then used to calculate increased fish productivity due to restoration efforts. And what an increase it was—over 6,000 kilograms of fish per hectare per year!

Combining underwater videos with automated data extraction provides a new, reliable and cost-effective method for surveying animals ethically and efficiently.

We still face major barriers to scaling up restoration to even get close to reversing our environmental impact on the coasts. Key concerns include ongoing climate change and policies and laws that hamper restoration efforts. It can be difficult, for example, to get permits to restore habitat, with <u>complex systems</u> involving multiple organizations and arms of government.

Still, our synthesis shows some light at the end of the tunnel. Coastal restoration efforts are having substantial benefits for animals around the world. The evidence supports <u>ambitious restoration targets</u> and action.

More information: Michael Sievers et al, Enhanced but highly variable biodiversity outcomes from coastal restoration: A global synthesis, *One Earth* (2024). DOI: 10.1016/j.oneear.2024.02.013



This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Restoring coastal habitat boosts wildlife numbers by 61%—but puzzling failures mean we can still do better (2024, April 22) retrieved 17 May 2024 from <u>https://phys.org/news/2024-04-coastal-habitat-boosts-wildlife-puzzling.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.