


Compact quantum light processing: New findings lead to advances in optical quantum computing

April 19 2024



Resource-efficient multi-photon processor based on an optical fiber loop. Credit: Marco Di Vita

An international collaboration of researchers, led by Philip Walther at University of Vienna, have achieved a significant breakthrough in

quantum technology, with the successful demonstration of quantum interference among several single photons using a novel resource-efficient platform. The work [published](#) in *Science Advances* represents a notable advancement in optical quantum computing that paves the way for more scalable quantum technologies.

Interference among photons, a fundamental phenomenon in [quantum optics](#), serves as a cornerstone of optical quantum computing. It involves harnessing the properties of light, such as its [wave-particle duality](#), to induce interference patterns, enabling the encoding and processing of quantum information.

In traditional multi-photon experiments, spatial encoding is commonly employed, wherein photons are manipulated in different spatial paths to induce interference. These experiments require intricate setups with numerous components, making them resource-intensive and challenging to scale.

In contrast, the international team, comprising scientists from University of Vienna, Politecnico di Milano, and Université libre de Bruxelles, opted for an approach based on temporal encoding. This technique manipulates the time domain of photons rather than their spatial statistics.

To realize this approach, they developed an innovative architecture at the Christian Doppler Laboratory at the University of Vienna, utilizing an optical fiber loop. This design enables repeated use of the same optical components, facilitating efficient multi-photon interference with minimal physical resources.

First author Lorenzo Carosini explains, "In our experiment, we observed quantum interference among up to eight photons, surpassing the scale of

most of existing experiments. Thanks to the versatility of our approach, the [interference pattern](#) can be reconfigured and the size of the experiment can be scaled, without changing the optical setup."

The results demonstrate the significant resource efficiency of the implemented architecture compared to traditional spatial-encoding approaches, paving the way for more accessible and scalable quantum technologies.

More information: Lorenzo Carosini et al, Programmable multi-photon quantum interference in a single spatial mode, *Science Advances* (2024). [DOI: 10.1126/sciadv.adj0993](https://doi.org/10.1126/sciadv.adj0993).
www.science.org/doi/10.1126/sciadv.adj0993

Provided by University of Vienna

Citation: Compact quantum light processing: New findings lead to advances in optical quantum computing (2024, April 19) retrieved 15 June 2024 from <https://phys.org/news/2024-04-compact-quantum-advances-optical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.