

Emperor penguins perish as ice melts to new lows: Study

April 25 2024, by Linda GIVETASH



The study by the British Antarctic Survey found that record-low sea ice levels in 2023 contributed to the second-worst year for emperor penguin chick mortality since observations began in 2018.

Colonies of emperor penguin chicks were wiped out last year as global warming eroded their icy homes, a study published Thursday found,

despite the birds' attempts to adapt to the shrinking landscape.

The study by the British Antarctic Survey found that record-low sea ice levels in 2023 contributed to the second-worst year for emperor penguin chick mortality since observations began in 2018.

It follows a "catastrophic breeding failure" in 2022, signaling long-term implications for the population, the study's author Peter Fretwell told AFP.

Emperor penguins breed on sea-ice platforms, with chicks hatching in the winter between late July and mid-August.

The chicks are reared until they develop waterproof feathers, typically in December ahead of the summer melt.

But if the ice melts too early, the chicks risk drowning and freezing.

Fourteen of 66 penguin colonies, which can each produce several hundred to several thousand chicks in a year, were affected by early sea-ice loss in 2023, said the study published in the journal *Antarctic Science*.

The result is "high if not total levels of mortality", Fretwell said.

Yet 2023 "wasn't as bad as we feared", he said.

A record 19 colonies were affected the year before.

On the move

The study also found that several colonies, particularly those ravaged the previous year, had moved in search of better conditions onto icebergs, ice shelves or more stable sea ice.

While such moves offer a hopeful sign that the birds can adapt to the changing environment, Fretwell warned it was a "temporary solution".

"Penguins are limited in the amount of adaptation they can do. There are only so many places they can go," he said.

Instead, Fretwell said humans needed to adapt by reduce planet-heating [greenhouse gas emissions](#) that are contributing to ice melt to mitigate the main threat facing the species.

Both 2022 and 2023 were the first years to see the area of sea-ice fall below two million square kilometers (770,000 square miles) since the beginning of satellite records.

That marks a decline of about 30 percent from the 1981-2010 average.

There are about a quarter of a million breeding emperor penguin pairs, all in Antarctica, according to a 2020 study.

"If you get multiple bad years, it is going to start to drive the population down over time," Fretwell said.

The study noted that if greenhouse gas emissions continue at current levels, the penguin population is expected to decline by 99 percent by the end of the century.

More information: Peter T. Fretwell, A 6 year assessment of low sea-ice impacts on emperor penguins, *Antarctic Science* (2024). [DOI: 10.1017/S0954102024000130](https://doi.org/10.1017/S0954102024000130)

Citation: Emperor penguins perish as ice melts to new lows: Study (2024, April 25) retrieved 14 June 2024 from <https://phys.org/news/2024-04-emperor-penguins-perish-ice-lows.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.