

New Jurassic fossil findings provide insights into the development of the middle ear in mammals

April 3 2024



Credit: Pixabay/CC0 Public Domain

An international team of paleontologists has made a significant discovery in fossils that offer key information about the evolutionary shift from the jaw joint bones to those of the middle ear in early



mammals.

The findings <u>published</u> in *Nature* provide a clearer insight into the evolution of hearing in mammaliaforms.

The fossils, from the Jurassic Period, are of two different <u>species</u>: a novel morganucodontan-like species and a pseudotribosphenic shuotheriid species. The specimens show noticeable physical characteristics, suggesting a <u>gradual change</u> in the jaw joint's function towards specializing in hearing.

"The significance of this discovery is that both species have mandibular middle ears (MdME), and the morganucodontan-like species have new postdentary bone structures," said author Professor Patricia Vickers-Rich from the Monash University School of Earth, Atmosphere and Environment.

"This species is losing the load-bearing function of its articular-quadrate joint, whereas the shuotheriid species is showing characteristics suited for purely auditory function," she said.

The fossils offer important evidence of the transitional phases in the evolution of the mammalian middle ear. A progressive decline in the load-bearing capacity of the main jaw joint is leading to the separation of postdentary bones from the dentary.

The findings revise prior ideas of the original state of the mammalian middle ear. The research enhances the understanding of mammaliaform development by resolving questions related to middle ear evolution in close mammal relatives.

"Studying transitional stages in <u>evolutionary history</u> is crucial," said Professor Vickers-Rich.



"The fossils show incremental modifications that demonstrate the complex process of adaptation that resulted in the advanced hearing systems found in modern animals."

The results also provide insight into how tissues such as the ossified Meckel's cartilage helped in the shift from jaw movement to hearing ability.

Researchers can track the steady evolution of the <u>middle ear</u> ossicles by studying traits like the medial displacement of the quadrate in reference to the articular.

Co-author Dr. Thomas Rich of Museums Victoria Research Institute said, "Newly recognized well-preserved fossils from the Jurassic of China significantly clarify how one of the most remarkable transitions in the history of the vertebrates occurred; namely, the transformation of many of the multiple bones in the lower jaws of reptiles became tiny bones in the middle ears of mammals."

The research team highlights that these findings are important advancements in our comprehension of mammalian evolution. Researchers aim to acquire greater insights into the intricate processes that influenced the development of hearing in early animals when more <u>fossil evidence</u> is uncovered through ongoing fieldwork and investigative research.

More information: Jin Meng, Fossils document evolutionary changes of jaw joint to mammalian middle ear, *Nature* (2024). DOI: 10.1038/s41586-024-07235-0. www.nature.com/articles/s41586-024-07235-0



Provided by Museum Victoria

Citation: New Jurassic fossil findings provide insights into the development of the middle ear in mammals (2024, April 3) retrieved 21 May 2024 from <u>https://phys.org/news/2024-04-jurassic-fossil-insights-middle-ear.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.