

# Molecular code stimulates pioneer cells to build blood vessels in the body

April 17 2024

---




Image of active pioneer cell (center of image). Green indicates endothelial cell nucleus, grey the outline of the blood vessels. Credit: Zoological Institute, KIT

Cardiovascular diseases, including stroke and myocardial infarction, are the world's leading causes of mortality, accounting for more than 18 million deaths a year. A team of KIT researchers has now identified a new cell type in blood vessels responsible for vascular growth.

This discovery may allow for novel therapeutic strategies to treat ischemic cardiovascular diseases, i.e., diseases that are caused by reduced or absent blood flow. The study is [published](#) in the journal *Nature Communications*.

A large network of blood vessels distributes blood across organs and thereby ensures that the [active cells](#) are supplied with sufficient oxygen and nutrients to function and to maintain heart beat and brain activities for example. Occlusion of blood vessels and compromising oxygen delivery may cause neuronal or cardiac cell death culminating in stroke or heart attack.

Revascularization, i.e., restoring vascular perfusion and promoting [tissue regeneration](#), requires functional blood vessels, but how to effectively revascularize organs still is an unsolved clinical question.

Since each organ fulfills a different physiological function, vascular branching patterns differ across organs. It has long been a mystery how such unique, so-called organo-typical vascular structures develop.

From a therapeutic point of view, it is believed that understanding the organ-specific molecular control of vascular growth and patterning could open the doors for developing personalized medicine strategies to combat cardiovascular and neurodegenerative diseases and cancer.

## **Pioneer cells move inside the vessel walls**

Scientists of the KIT led by Professor Ferdinand le Noble, Head of the Department of Cell and Developmental Biology and Director of the Zoological Institute of KIT, have now discovered that one [crucial element](#) contributing to organ-dependent variability in vascular branching involves the activation of a novel vascular cell type they coined endothelial L-tip cell or pioneer cell. Pioneer cells reside inside

the inner layer that lines the blood vasculature, the so-called endothelium.

Using high-end imaging techniques, the scientists found that pioneer cells move inside the vessel wall. Once they come into contact with specific signals produced by cells in the surrounding organ, pioneer cells start to make new blood vessels. To elucidate which cells produce such signals and how these signals are sensed to promote pioneer cell differentiation, the scientists used a recently developed technique called single cell sequencing.

## **Molecular cocktail encodes the time and place of blood vessel formation**

Dr. Laetitia Preau, first author of the paper, explains, "Single cell sequencing combines detailed RNA sequencing of individual cells with bio-informatic analyses and allows precise identification of cell subtypes and the molecules these cells produce for cell-to-cell communication. Using this technique, we discovered that the vascular patterning is encoded by a distinct set of molecules that can only be sensed by a subset of endothelial cells to promote vessel growth."

The cells in the tissue produce an organ-specific set of molecules that encode the instruction how to make a new blood vessel at that particular place and time. Once the prospective pioneer cell senses and unravels this specific tissue-derived molecular code, it will initiate the vascular growth process.

## **Foundations for new therapeutic approaches**

It turned out that several organ-specific vascular growth code molecules are drug-targetable, i.e., they react to externally added chemicals.

Professor Ferdinand le Noble says, "To explore the therapeutic avenues, we are collaborating with chemists, tissue engineers, and [artificial intelligence](#) (AI) specialists at the 3ROCKIT platform of the Health Technologies Center established recently at Karlsruhe Institute of Technology (KITHealthTech).

"We hope to identify novel smart molecules to target the vascular growth process that may benefit patients suffering from ischemic cardiovascular diseases, such [myocardial infarction](#) and stroke, as well as from certain forms of cancer."

**More information:** Laetitia Préau et al, Parenchymal cues define Vegfa-driven venous angiogenesis by activating a sprouting competent venous endothelial subtype, *Nature Communications* (2024). [DOI: 10.1038/s41467-024-47434-x](#)

Provided by Karlsruhe Institute of Technology

Citation: Molecular code stimulates pioneer cells to build blood vessels in the body (2024, April 17) retrieved 2 May 2024 from <https://phys.org/news/2024-04-molecular-code-cells-blood-vessels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.