


# Physicists discover elbow-like feature in mean logarithmic mass spectrum of ultra-high-energy cosmic rays

April 8 2024, by Liu Jia



The LHAASO-KM2A all-particle energy spectrum flux multiplied by  $E^{2.75}$  as a function of energy. The gray shadow band represents the estimated systematic uncertainties. The results of the HAWC, CASA-MIA, Tibet-III, KASCADE, and IceCube/IceTop are also plotted for comparison. Credit: *Physical Review Letters* (2024). DOI: 10.1103/PhysRevLett.132.131002

Researchers at the Large High Altitude Air Shower Observatory (LHAASO) have accurately measured the cosmic ray all-particle energy spectrum and the mean logarithmic mass in the range of 0.3–30 peta-electronvolts (PeV). They have also discovered an "elbow" feature in the mean logarithmic mass spectrum of cosmic rays.

The [study](#) was published online in *Physical Review Letters* on March 26. It was completed by the LHAASO [international collaboration](#) led by the Institute of High Energy Physics (IHEP) of the Chinese Academy of Sciences.

Researchers used LHAASO-KM2A [experimental data](#) from September 2021 to December 2022 to measure the cosmic ray all-particle energy spectrum and mean logarithmic mass in the "knee" region with unprecedented precision. They not only attributed the knee to the light components of cosmic rays, i.e., protons and helium, but also made a groundbreaking discovery of an elbow-like feature—a reversal of the spectrum knee—in the mean logarithmic mass for the first time.

The LHAASO findings shed new light on the origin of the knee, which has perplexed scientists for nearly 70 years since its initial discovery. Reviewers described these findings as a "significant milestone in the field."

Researchers have fully utilized the significant advantages of the LHAASO experiment's high-altitude and large-area muon detectors to achieve calorimetric energy measurements that significantly reduce the dependence of energy measurement on [cosmic ray](#) composition and hadronic interaction models in ground-based experiments. This unique technique has played a crucial role in guaranteeing the accuracy and reliability of findings.

LHAASO consists of science and technology infrastructure located on Haizi Mountain in Daocheng County, Sichuan Province, China, at an altitude of 4,410 meters. It includes the Square Kilometer Ground-based Array (KM2A) which comprises 5,216 electromagnetic particle detectors and 1,188 muon detectors; the 78,000 m<sup>2</sup> Water Cherenkov Detector Array (WCDA); and the 18 Wide-field-of-view Cherenkov Telescope Array (WFCTA).

It was completed in July 2021 and then put into stable operation, making it a leading international detection device with high sensitivity, powerful sky survey capabilities, and a wide energy range.

**More information:** Zhen Cao et al, Measurements of All-Particle Energy Spectrum and Mean Logarithmic Mass of Cosmic Rays from 0.3 to 30 PeV with LHAASO-KM2A, *Physical Review Letters* (2024). [DOI: 10.1103/PhysRevLett.132.131002](https://doi.org/10.1103/PhysRevLett.132.131002)

Provided by Chinese Academy of Sciences

Citation: Physicists discover elbow-like feature in mean logarithmic mass spectrum of ultra-high-energy cosmic rays (2024, April 8) retrieved 2 May 2024 from <https://phys.org/news/2024-04-physicists-elbow-feature-logarithmic-mass.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.