

# Pristine Finnish peatland offers glimpse into pre-industrial atmosphere

April 4 2024

---



Located in Finland's Siikaneva peatland, this permanent measurement station aids INAR researchers from the University of Helsinki in micrometeorological and aerosol emission measurements, advancing environmental understanding. Credit: Juho Aalto

An international group of researchers has uncovered significant insights into pre-industrial aerosol formation processes through a study

conducted in a pristine Finnish peatland. The investigation aimed to understand atmospheric particle formation in an environment with minimal human influences, shedding light on historical climate conditions.

The study unveiled that Siikaneva [peatland](#), located in southern Finland, releases highly oxygenated [organic molecules](#) at night, leading to [aerosol](#) particle formation closely resembling the pre-industrial atmosphere.

The 9,000-year-old minerotrophic Siikaneva peatland emits large levels of terpenes dominated, e.g., by isoprene and alpha-pinene. The researchers observed the formation of new atmospheric particles initiated by purely natural vapors, a mechanism that could resemble the pre-industrial atmosphere. Previously, the same process could only be verified at the molecular level under laboratory conditions.

"Our results basically mark the first confirmation that pure biogenic new particle formation is possible in [ambient conditions](#)," says Postdoctoral Researcher Wei Huang from the Institute for Atmospheric and Earth System Research INAR at the University of Helsinki. The results were [published](#) April 3 in the journal *Science Advances*.

## **Widespread pure biogenic aerosol formation**

The findings underscore the importance of pristine environments, such as present-day Finnish peatland, when studying pre-industrial aerosol production processes.

"These environments with minimal sulfur or nitrogen oxide pollution serve as natural laboratories. Our study is potentially the best current example of pre-industrial aerosol production processes, which shows that truly pristine environments do exist in the present-day atmosphere, largely influenced by human activities.

"It also demonstrates that pure biogenic aerosol formation could be a widespread and frequent phenomenon in the present day. This will potentially impact the climate of areas dominated by peatlands, as well as other locations with flat topography," says Professor Federico Bianchi from INAR.

Peatlands cover large areas in the Northern Hemisphere: approximately 4 million square kilometers north of the 30th parallel and half a million square kilometers north of the 50th parallel. Pure biogenic particles formed from these large areas may have been an important source of cloud condensation nuclei for cloud formation during the pre-industrial era.

## **Historical aerosols help to understand the future**

Understanding pre-industrial aerosol formation is important, as [climate change](#) is measured by comparing present-day atmospheric conditions with pre-industrial ones. Aerosol particles cool the atmosphere and climate by scattering incoming radiation and acting as cloud condensation nuclei.

The particles control cloud properties, such as the reflection of sunlight back into space. Understanding past conditions helps to estimate how aerosol formation processes have evolved and how they impact the global climate today.

The results may also provide clues for understanding new particle formation in the future, the features of which may revert towards pre-industrial conditions because of air pollution mitigation.

"As air pollution is mitigated, particles will be formed with various species, frequencies, intensities, and chemistry. This can eventually affect cloud formation and the climate (e.g., temperatures) on Earth,"

says Bianchi.

The findings also provide valuable model parameterization constraints for future studies simulating pre-industrial peatland aerosol impacts on the climate.

**More information:** Wei Huang et al, Potential pre-industrial–like new particle formation induced by pure biogenic organic vapors in Finnish peatland, *Science Advances* (2024). [DOI: 10.1126/sciadv.adm9191](https://doi.org/10.1126/sciadv.adm9191)

Provided by University of Helsinki

Citation: Pristine Finnish peatland offers glimpse into pre-industrial atmosphere (2024, April 4) retrieved 2 May 2024 from <https://phys.org/news/2024-04-pristine-finnish-peatland-glimpse-pre.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.