

Recovering phosphorus from sewage sludge ash to address problem of diminishing supplies of phosphorus ores

April 26 2024



The flow-type fixed-bed reactor used in the process of recovering phosphorus from incinerated sewage sludge. Credit: Naoto Tsubouchi / Hokkaido University



Valuable supplies of phosphorus could be recovered from sewage sludge ash, which remains after the sludge has been burned for electric power generation. The method has been developed by chemical engineers Yuuki Mochizuki and Naoto Tsubouchi at Hokkaido University's Center for Advanced Research of Energy and Materials. Their work is published in the journal *Resources, Conservation and Recycling*.

Phosphorus-containing compounds are widely manufactured for applications including fertilizers, medicines and many everyday consumer products. At present, supplies of <u>phosphorus</u> are mainly extracted from phosphorus ores. In recent years, however, the depletion and rising price of high-grade phosphorus ores have become a problem, putting pressure on industries that rely on these supplies.

"Exploiting new phosphorus resources to replace the fast-depleting reserves, and establishing methods to recover phosphorus from waste streams, is becoming increasingly important," says Tsubouchi.

Sewage sludge, available in plentiful amounts, is currently burned in large quantities for power generation and also to reduce its volume. The remaining ash is relatively rich in phosphorus, leading to increasing efforts to find efficient ways to recover the phosphorus.

Existing methods encounter several significant problems, however, including chemical contamination requiring further purification and complicated expensive chemical processing.

The Hokkaido researchers have previously investigated methods for recovering phosphorus and other elements, including calcium, magnesium and iron by heat treatment of <u>sewage sludge</u>.



These previous investigations suggested that the process of volatilization, in which different elements are selectively converted into gaseous forms, allowing them to be separated from the rest of the treated ash, could be a promising approach for recovering phosphorus in the form of heat-stable compounds.

They therefore explored the volatilization behavior of the different elements in sewage sludge ash under different chemical conditions, especially with and without carbon being added during a sludge treatment process involving chlorine. This allowed them to develop an effective method for separating useful phosphorus-containing compounds using a combination of chlorination steps with and without the presence of carbon.

Mochizuki says, "The method we developed can be implemented with lower energy requirements, lower CO₂ emissions, and lower cost than conventional phosphorus recovery technologies from phosphate ores. In our method, phosphorus is recovered in the valuable phosphorus chloride forms, which can also be converted to phosphoric acid by dissolution in water."

"In Japan, the total amount of phosphorus contained in secondary phosphorus resources such as steel slag, livestock manure, and sewage sludge is equivalent to about half of the total amount of phosphorus brought into the country. Our next step is to study if our technique could be used to reduce the need for phosphorus imports," Tsubouchi concludes.

More information: Yuuki Mochizuki et al, Recovery of phosphate from incineration ash of sewage sludge by chlorination and carbochlorination, *Resources, Conservation and Recycling* (2024). DOI: 10.1016/j.resconrec.2024.107645



Provided by Hokkaido University

Citation: Recovering phosphorus from sewage sludge ash to address problem of diminishing supplies of phosphorus ores (2024, April 26) retrieved 7 May 2024 from https://phys.org/news/2024-04-recovering-phosphorus-sewage-sludge-ash.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.