

Scientists develop novel aggregation-induced emission carbon dots for bioimaging

April 19 2024, by Zhang Nannan



Schematic illustration for the synthesis of Y-CDs, and the application for nucleus imaging and selectively visualizing the crystalline and digestive systems of the zebrafish. Credit: SIBET



Carbon dots (CDs) are an intriguing class of nanomaterials that have attracted a great deal of attention in recent years. These carbon-based materials possess excellent fluorescence properties, making them highly appealing for a wide range of applications.

Researchers at the Suzhou Institute of Biomedical Engineering and Technology (SIBET) of the Chinese Academy of Sciences recently developed novel aggregation-induced emission (AIE) <u>carbon dots</u> (Y-CDs) for cellular imaging.

Results of this study were <u>published</u> in *Materials & Design*, titled "Rare earth-modified yellow carbon dots for long-term imaging in cells and zebrafish."

Despite their excellent properties, CDs are often limited by aggregationinduced quenching effects. In the solid or aggregated state, the fluorescence of CDs significantly decreases or even disappears, which has limited the development and application of CDs.

In this study, Dong Wenfei and his team of SIBET synthesized a novel AIE CDs by introducing <u>rare earth elements</u> (Yb and Er), called Y-CDs. Y-CDs exhibited excellent optical properties, including excitationindependent emission, pH-responsive and temperature-sensitive properties. "They were found to have low requirements in terms of incubation time, and could achieve good imaging effect when the incubation concentration was low," said Dong.

Y-CDs showed excellent nuclear targeting ability in HeLa cells. In zebrafish and <u>zebrafish embryos</u>, Y-CDs showed biocompatibility and safety in long-term imaging experiments, and enabled selective visualization of the crystalline and digestive systems of the zebrafish.





a. The confocal fluorescence images of zebrafish embryos and juvenile zebrafish imaged with Y-CDs; b. The long-term imaging effects of Y-CDs on zebrafish embryos; c. The biosafety test of Y-CDs during long-term imaging of zebrafish embryos. Scale bar: $250 \mu m$. Credit: SIBET

This study proves that Y-CDs can effectively penetrate zebrafish and zebrafish embryos and also have tissue affinity for juveniles, which



provides a novel material choice for zebrafish imaging, according to Kou Xinyue, first author of the study.

The synthesized rare earth Y-CDs show great promise for a variety of imaging and biological sensing applications. Further research and development in this area could lead to the advancement of bioimaging techniques and the exploration of new applications in biology and medicine.

More information: Xinyue Kou et al, Rare earth-modified yellow carbon dots for long-term imaging in cells and zebrafish, *Materials & Design* (2024). DOI: 10.1016/j.matdes.2024.112855

Provided by Chinese Academy of Sciences

Citation: Scientists develop novel aggregation-induced emission carbon dots for bioimaging (2024, April 19) retrieved 17 May 2024 from <u>https://phys.org/news/2024-04-scientists-aggregation-emission-carbon-dots.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.