

## Scientists experimentally observe currentdriven antiskyrmion sliding

April 18 2024, by Chen Na



Mechanism of antiskyrmion sliding along stripe domains in comparison with ferromagnetic background. Credit: Institute of Physics

Prof. Zhang Ying's group from the Institute of Physics of the Chinese Academy of Sciences (CAS), in collaboration with domestic universities



and the Los Alamos National Laboratory in the United States, has experimentally observed current-driven antiskyrmion sliding.

Their work was **published** in *Nature Materials* on April 11.

Magnetic (anti)skyrmions with topologically protected spin structures are promising as next-generation information units in spintronic devices. The ability to transport (anti)skyrmions using <u>electric currents</u> is particularly interesting for highly efficient data storage and processing. However, the major challenges are unwanted lateral deflection toward the sample edge and eventual annihilation due to the Magnus force from (anti)skyrmion Hall effects.

Under the consistent support of CAS Member Shen Baogen, Prof. Zhang's research team established a dedicated magnetization characterization platform with focused ion beam microscopy, Lorentz Transmission Electron Microscopy (L-TEM), and multiple in-situ holders, etc.

The platform is a powerful means of directly studying topological domains with ultra-high spatial resolution under different external fields. The researchers have used this platform to systematically study the generation and manipulation of skyrmions in many kinds of materials, thus accumulating rich experience.





Realization of room-temperature antiskyrmions with different magnetization states and their straight current-driven behaviour along the naturally helical stripes at zero field. Credit: Institute of Physics

In this study, the researchers successfully demonstrated the straightsliding dynamics of electric current-driven antiskyrmions at room temperature and without the presence of an external <u>magnetic field</u> in a  $Mn_{1.4}PtSn$  chiral magnet.



This achievement was realized by embedding antiskyrmions in strongly correlated helical stripe domains, in contrast to the usual manipulation of topological skyrmions in the ferromagnetic background. These stripe domains naturally provide one-dimensional linear tracks, along which antiskyrmion sliding is initiated at low current densities and without transverse deflection by the antiskyrmion Hall effect.

According to the researchers, the higher mobility of the antiskyrmions in the helical stripe background can be well understood through micromagnetic simulations and collective pinning theory, allowing random pinning potentials to be easily faded out.



Influence of electric current direction, density and pulse period on the antiskyrmion sliding along the straight stripe domain. Credit: Institute of Physics





Room-temperature merons sliding in stripe domains at zero field. Credit: Institute of Physics

In addition, this method can be extended to the sliding motion of merons or skyrmions in stripe domains, further demonstrating its general applicability.

Thus, the demonstration and comprehensive understanding of antiskyrmion movement along naturally straight tracks at low current densities, while overcoming deflection under a wide temperature range and zero magnetic field, offers a new perspective for (anti)skyrmion applications in spintronics.



**More information:** Zhidong He et al, Experimental observation of current-driven antiskyrmion sliding in stripe domains, *Nature Materials* (2024). DOI: 10.1038/s41563-024-01870-8

Provided by Chinese Academy of Sciences

Citation: Scientists experimentally observe current-driven antiskyrmion sliding (2024, April 18) retrieved 22 May 2024 from <u>https://phys.org/news/2024-04-scientists-experimentally-current-driven-antiskyrmion.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.