

Studying spaceflight atrophy with machine learning

April 17 2024, by Elizabeth E. Keller



NASA astronaut Sunita Williams, Expedition 32 flight engineer, equipped with a bungee harness, exercises on the Combined Operational Load Bearing External Resistance Treadmill (COLBERT) in the Tranquility node of the International Space Station. Credit: NASA

Even intense exercise by astronauts cannot compensate for muscle



atrophy caused by microgravity. Atrophy occurs, in part, by way of an underlying mechanism that regulates calcium uptake. Recent research has shown exposure to spaceflight alters the uptake of calcium in muscles. However, the molecular mechanisms that drive these changes are not well studied.

Researchers at Ames Research Center investigated these mechanisms by applying machine learning (ML) to identify patterns in datasets on mice exposed to microgravity. ML methods are particularly effective in identifying patterns in complex biological data and are suited for space biological research where small datasets are often combined to increase statistical power.

Resistance training can counteract the negative health effects of microgravity on <u>muscle atrophy</u>, but new Ames Research Center research seeks to understand the physiological mechanisms at play to identify biomarkers that can inform innovative counter measures. The study was a project of NASA's Space Life Sciences Training Program at Ames Research Center. It has been <u>published</u> in the journal *npj Microgravity*.

Machine learning analysis shows molecular drivers to physiological changes in the calcium channel sarcoplasmic/ <u>endoplasmic reticulum</u> (SERCA) pump, leading to muscle changes and muscle loss in spaceflight rodents. ML models were created to identify proteins that could predict an organism's resilience to microgravity with respect to calcium uptake in muscles. Specific proteins, Acyp1 and Rps7, were found to be the most predictive biomarkers associated with enhanced calcium intake in fast-twitch muscles.

This study offered a first look at the use of ML on <u>calcium</u> uptake in muscle when exposed to microgravity conditions. This study demonstrated the role of NASA's open science initiative in accelerating



space biology by its reliance on ARC's Open Science Data Repository (OSDR) and Analysis Working Groups, as well as the involvement of an international research team from the U.S., Canada, Denmark, and Australia. Notably, the article's first author was an undergraduate at UC Berkeley, demonstrating the unlimited potential of NASA-Berkeley collaborations in life sciences research with the upcoming Berkeley Space Center at NASA Research Park.

More information: Kevin Li et al, Explainable machine learning identifies multi-omics signatures of muscle response to spaceflight in mice, *npj Microgravity* (2023). DOI: 10.1038/s41526-023-00337-5

Provided by NASA

Citation: Studying spaceflight atrophy with machine learning (2024, April 17) retrieved 17 May 2024 from <u>https://phys.org/news/2024-04-spaceflight-atrophy-machine.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.