

# Research team shows island bats are valuable allies for farmers

April 16 2024

---



Grey long-eared bat (*Plecotus austriacus*). Credit: Adrià López-Baucells

A new study has highlighted how bats can be valuable allies for farmers, by feeding on important agricultural pests. The findings demonstrate that encouraging bat species can be a win-win for both conservation efforts

and local farmers.

Thanks to their ability to fly, bats have successfully colonized many different oceanic islands. The [study](#) in the *Journal of Mammalogy* has finally revealed what is on the menu of these secretive mammals living on the sub-tropical island of Madeira (Portugal), and it is good news for local farmers.

Bats account for about one-fifth of all mammal species and are particularly important in island ecosystems, which typically have far fewer mammals than mainland areas. But up to now, the specific diets of island-dwelling [bat species](#) have been poorly studied.

The new study investigated the three bat species that live on Madeira: the Madeira pipistrelle (*Pipistrellus maderensis*), the Madeira lesser noctule (*Nyctalus leisleri verrucosus*), and the grey long-eared bat (*Plecotus austriacus*). The research team captured then collected droppings from over 100 individual bats, before extracting DNA from the feces to figure out which species the bats were eating. This revealed that all three bat species had highly diverse diets—eating over 50 different species among them, including beetles, butterflies, flies, moths, and spiders. Overall, 40% (23) of the identified species were likely or confirmed agricultural or forestry pests.



Grey long-eared bat (*Plecotus austriacus*). Credit: Ricardo Rocha





Madeira pipistrelle (*Pipistrellus maderensis*). Credit: Eva Nobrega



Madeira pipistrelle (*Pipistrellus maderensis*). Credit: Eva Nobrega

Lead author of the study Angelina Gonçalves (University of Porto, Portugal) said, "We anticipated that all three species would primarily feed on nocturnal butterflies; however, we did not expect that over 40% of the species detected in the bats' diet are likely or confirmed agricultural or forestry pests."

The pest species found to be eaten by the bats included banana moths (*Opogona sacchari*), well-known agricultural pests that—as the name indicates—impact banana trees, an important crop for the local economy. Other pests eaten by the bats included turnip moths (one of the most damaging insects to vegetables and cereals) and the golden twin-

spot moth (*Chrysodeixis chalcites*), which is one of the four most important pests of European greenhouse crops.

In addition, the bats were also found to feed on a parasite of humans: *Psychoda albipennis*, which can cause urogenital myiasis, resulting in abdominal pain, diarrhea, and burning sensations.



Ricardo Rocha conducting field work. Credit: Ricardo Rocha


Collecting the bats for the study initially proved highly challenging for the research team. The process involved using mist nets (which resemble volleyball nets) to temporarily capture individuals until their fecal samples could be collected. However, with finely tuned echolocation



abilities, the bats were easily able to evade the nets.

Angelina Gonçalves added, "Fortunately, we discovered that the bats lowered their guard when they came to drink so we changed tactics slightly and waited at strategic water points. In this way, we were then able to capture enough individuals to conduct our research."

Agricultural expansion is one of the main causes of biodiversity decline worldwide, however, some species can exploit resources in [agricultural areas](#). As this study demonstrates, encouraging bats can be mutually beneficial for both conservation aims and supporting island agricultural communities.



Laurel Forest, Madeira Island, Portugal. Credit: Ricardo Rocha

Study co-author Associate Professor Ricardo Rocha (Department of Biology, University of Oxford) said, "An increasing number of farmers are using bat boxes to attract insectivorous bats to their fields. During our study, we experimented by placing some in the protected area where we were working, and to our excitement, some of these are now inhabited by the vulnerable Madeiran pipistrelles. This suggests that deploying simple artificial bat roosts might lead to win-win outcomes for both conservation and local farmers."

Associate Professor Ricardo Rocha added, "Bats often get a bad rap. Our study highlights their significance, revealing that while their nocturnal habits and secretive lifestyle make them elusive to many, insectivorous bats play a crucial role in the ecosystems they inhabit, and through the [ecosystem services](#) they provide, they can help humans in multiple ways."

**More information:** Angelina Gonçalves et al, A metabarcoding assessment of the diet of the insectivorous bats of Madeira Island, Macaronesia, *Journal of Mammalogy* (2024). [DOI: 10.1093/jmammal/gyae033](#)

Provided by University of Oxford

Citation: Research team shows island bats are valuable allies for farmers (2024, April 16) retrieved 20 May 2024 from <https://phys.org/news/2024-04-team-island-valuable-allies-farmers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---