

# How do trees survive dry and hot summers? Leaf lifespan and growth recovery are key

April 15 2024

---



Credit: Pixabay/CC0 Public Domain

Climate change has an effect on forests and trees. They suffer from heat waves and periods of drought. But although we see tree mortality increase as a result, much is still unknown about the underlying mechanisms.

A new study on conifers shows that not damage to the trees' water

transport system plays the largest role, but—unexpectedly—the length of their leaves' lifespan, and stem growth recovery after previous droughts or [heat waves](#).

In the study, which was recently [published](#) in *Science Advances*, 20 species of conifers were compared. Lead author Prof. Frank Sterck of Wageningen University & Research stated, "We studied 20 conifer species from the Northern Hemisphere that were planted in a unique experiment, which started approximately 100 years ago at Schovenhorst, an estate in the Netherlands.

"In 2018, we looked at characteristics of trees that show whether they are at risk of water transport failure during droughts, as well as their leaf lifespan and related leaf characteristics. In addition, we analyzed [tree rings](#) from stem core samples to see stem growth responses to previous droughts (from 1970 to 2013). We came back to the estate in 2021 to estimate the mortality of trees following the hot and dry summers from 2018 to 2020."

For the first time, such a large number of conifer tree species were compared for mortality and underlying mechanisms in response to drought and heat, and in an experiment where trees from the study species are exposed to the same soil and climate conditions.

According to co-author Dr. Yanjun Song, "Surprisingly, we found that mortality was not related to impaired water transport within the trees. Instead, we saw that species that were better able to survive heat and drought had shorter leaf lifespans (leaf legacy). The stronger species also showed better stem growth recovery from stem growth dips during previous droughts that had occurred between 1970 and 2018."

## Leaf legacy

Tree species differ in leaf lifespan, ranging from less than 1 year to more than 10 years. The study shows that conifers with relatively short leaf lifespans suffered less from dry and hot summers: These trees apparently stand a good chance of rapidly replacing damaged and dropped leaves with new healthy ones. For species with relatively long leaf lifespans, damaged or dropped leaves are replaced at a much slower pace, thus creating a legacy on tree vitality.

Leaves that are damaged by drought or heat, and have a longer lifespan, probably reduce the functional leaf area of their tree and cause crown dieback. While trees may still recover during moderately dry and hot summers despite such leaf legacies, they often did not recover anymore following the extreme dry and hot summers from 2018 to 2020. The persistent crown dieback probably depleted reserves (sugars) and increase bark beetle vulnerability, which in turn increases mortality risks.

## **Early warning signals for climate resilient forests**

Dr. Song said, "Practically, our study implies that monitoring leaf and crown damage and stem growth resilience to drought may act as early warning system for mortality risks of trees or forests.

"Moreover, our results clearly show that planting conifer trees in areas that are (or will be) warmer or drier than their natural distribution area should be avoided, because these trees will suffer more from future increases in heat waves and droughts. This can, for example, help forest managers and land owners to select tree species for climate resilient forests."

## **Including long-term legacies allow for better forest predictions**

"These findings have important implications for the field of ecology," Sterck explains. "Leaf and growth legacies may influence tree mortality risks to [drought](#) and heat waves over years to decades, but are still understudied drivers.

"We call for studies on tree mortality that integrate the leaf and growth legacies with the role of the water transport system for different forest ecosystems worldwide. Such studies are required to show the importance of ecological memory at different time scales, and increase our understanding of tree and forest responses to [climate change](#)."

**More information:** Frank J. Sterck et al, Drought- and heat-induced mortality of conifer trees is explained by leaf and growth legacies, *Science Advances* (2024). [DOI: 10.1126/sciadv.adl4800](https://doi.org/10.1126/sciadv.adl4800)

Provided by Wageningen University

Citation: How do trees survive dry and hot summers? Leaf lifespan and growth recovery are key (2024, April 15) retrieved 20 May 2024 from <https://phys.org/news/2024-04-trees-survive-dry-hot-summer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--