


# How plants heal wounds: Mechanical forces guide direction of cell division

April 4 2024, by Florian Schlederer



Division orientation defined by directional cell expansion. Credit: *Developmental Cell* (2024). DOI: 10.1016/j.devcel.2024.03.009

Plants are made up of very rigid cells. Much like bricks in a wall, this feature gives them the structural support to maintain their shape and to

stand upright against gravity. However, just like any living organism, plants can be injured, for instance, by wind or animal grazing. While humans and animals have cells that move with the blood to detect and heal wounds, plants have to evolve a very different mechanism due to their rigidity and immobility.

A collaborative study by Lukas Hoermayer, the Friml, Benková, and Heisenberg groups at the Institute of Science and Technology Austria (ISTA), and colleagues now provide new insights into how they manage this.

The scientists injured thale cress (*Arabidopsis thaliana*) with a laser beam and analyzed the subsequent wound-healing process using microscopy. The results, [published](#) in the journal *Developmental Cell*, offer a precise view of what happens: Upon injury, the tissue immediately remodels itself and triggers [cells](#) to divide to close the wound.

## Wound healing in plants


Lukas Hoermayer has always been interested in nature. Growing up in the countryside, he spent a lot of time outdoors in the fields or vineyards. But his scientific curiosity about plants developed later on, when he interned at ISTA. "Since then, it has stayed with me," says Hoermayer.

While working on his Ph.D. in Jiří Friml's group, he investigated wound healing in plants, a field of research that has been around for more than a century. Fast forward a few years, and Hoermayer and his colleagues may have cracked the code.

Inside the root, plant cells are under [high pressure](#). When tissue is damaged, cells die. They burst and release pressure, creating a void that must be filled as quickly as possible. Neighboring cells act as first

responders, stretching into that gap.

"It's like having two balloons that are glued and squeezed together. If one bursts, the other one immediately stretches and deforms towards the ruptured one to balance the pressure," explains Hoermayer. Cells elongate and begin to divide, giving rise to new cells that eventually seal the wound. While cells in the root typically divide only downwards, with gravity, in this scenario, they are able to do so in multiple directions. How come?



Graphical abstract. Credit: *Developmental Cell* (2024). DOI: 10.1016/j.devcel.2024.03.009

## Mechanical forces at the heart of it

Hoermayer and colleagues inhibited certain molecules that were thought to impact this particular division process but observed no change in wound healing.

"To our surprise, the process still worked, regardless of what we did," says Hoermayer. Hence, they shifted the project's focus towards mechanical aspects. To visualize these mechanics, the scientists used a specially designed microscope equipped with a laser. The [laser beam](#) injured the [plant tissue](#), and the microscope recorded what happened next.

After analyzing the [video material](#), the researchers discovered that microtubules—dynamic protein structures in the cell that help separate the [genetic material](#) during division—react to mechanical changes. When cells are stretched, the microtubules reposition themselves and establish the orientation of cell division, which triggers it.

"Our results suggest that the sheer [mechanical forces](#) from the stretching of cells drive cell division in wound healing," says Hoermayer.

## Improving agricultural ecosystems

Similar to other recent ISTA publications, this new study demonstrates that tissue development and regeneration can be understood through the principles of mechanics. It also highlights the remarkable efficiency of plants in healing injuries—a power they must possess since they are constantly exposed to the forces of nature. It becomes even more important considering ongoing climate change.

In the wake of the environmental challenges, understanding how plants heal and regenerate wounds holds great promise for advancing

agriculture.

"Farmers may consider these details when switching to more resilient crops and robust plants for [harsh conditions](#) such as extremely saline or sandy soils," explains Hoermayer. Optimizing and promoting the natural regeneration process also helps make agriculture more sustainable, as moving away from chemicals could reduce agriculture's impact on the environment.

**More information:** Lukas Hoermayer et al, Mechanical forces in plant tissue matrix orient cell divisions via microtubule stabilization, *Developmental Cell* (2024). [DOI: 10.1016/j.devcel.2024.03.009](https://doi.org/10.1016/j.devcel.2024.03.009)

Provided by Institute of Science and Technology Austria

Citation: How plants heal wounds: Mechanical forces guide direction of cell division (2024, April 4) retrieved 2 May 2024 from <https://phys.org/news/2024-04-wounds-mechanical-cell-division.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.