

## What fire ants can teach us about making better self-healing materials

May 15 2024



Fire ants form rafts to survive flooding. Credit: Robert Wagner

Fire ants form rafts to survive flooding, but how do those bonds work? And what can we learn from them? A Binghamton University, State University of New York professor is researching those questions to expand our knowledge of materials science.

When flooding hits a region where <u>fire ants</u> live, their survival response is to latch together to form a buoyant "<u>raft</u>" that floats and keeps the colony united. Think of it like a condensed, adaptive material where the building blocks—individual ants—are actually alive.



Binghamton University Assistant Professor Rob Wagner led a study as part of the Vernerey Soft Matter Mechanics Lab at University of Colorado Boulder in which researchers investigated the adaptive response of these living rafts. The goals are to understand how they autonomously morph and change their mechanical properties, and then incorporate the simplest and most useful discoveries into artificial materials.

"Living systems have always fascinated me, because they achieve things that our current engineered materials cannot—not even close," he said. "We manufacture bulk polymeric systems, metals and ceramics, but they're passive. The constituents don't store energy and then convert it to mechanical work the way every single living system does."

Wagner sees this storage and conversion of energy as essential to mimicking the smart and adaptive behaviors of living systems.

In <u>their most recent publication</u> in the *Proceedings of the National Academy of Sciences*, Wagner and his co-authors at University of Colorado investigated how fire ant rafts responded to mechanical load when stretched, and they compared the response of these rafts to dynamic, self-healing polymers.

"Many polymers are held together by dynamic bonds that break, but can reform," Wagner said. "When pulled slowly enough, these bonds have time to restructure the material so that—instead of fracturing—it flows like the slime our kids play with, or soft-serve ice cream. When pulled very fast, though, it breaks more like chalk. Since the rafts are held together by ants clinging onto one another, their bonds can break and reform. So, my colleagues and I thought they'd do the same thing."

But Wagner and his collaborators discovered that no matter what speed they pulled the ant rafts, their mechanical response was nearly the same,



and they never flowed. Wagner speculates that the ants reflexively tighten and prolong their holds when they feel force because they want to stay together. They either turn down or turn off their dynamic behavior.

This phenomenon of bonds that grow stronger when force is applied to them is called catch <u>bond</u> behavior, and it likely enhances cohesion for the colony, which makes sense for survival.

"As you pull on typical bonds with some amount of force, they're going to let go sooner, and their lifetime goes down—you're weakening the bond by pulling on it. That is what you see in almost any passive system," Wagner said.

"But in living systems, because of their complexity, you can sometimes have catch bonds that hold on for longer durations under some range of applied force. Some proteins do this mechanistically and automatically, but it's not like the proteins are making a decision. They're just arranged in such a way that when a force is applied, it reveals these binding sites that latch or 'catch.'"

Wagner believes that mimicking these catch bonds in engineered systems could lead to artificial materials that exhibit autonomous, localized self-strengthening in regions of higher mechanical stress. This could enhance the lifetimes of biomedical implants, adhesives, fiber composites, soft robotics components and many other systems.

Collective insect aggregations like fire ant rafts already are inspiring researchers to develop materials with stimuli-responsive <u>mechanical</u> <u>properties</u> and behaviors. <u>A paper</u> in *Nature Materials* earlier this year—led by the Ware Responsive Biomaterials Lab at Texas A&M and including contributions from Wagner and his former thesis advisor, Professor Franck J. Vernerey—demonstrates how ribbons made of



special gels or materials called liquid crystal elastomers can coil due to heating, and then entangle with each other to form condensed, solid-like structures that were inspired by these ants

"A natural progression of this work is to answer how we can get the interactions between these ribbons or other soft <u>building blocks</u> to 'catch' under load like the fire ants and some biomolecular interactions do," Wagner said.

**More information:** Robert J. Wagner et al, Catch bond kinetics are instrumental to cohesion of fire ant rafts under load, *Proceedings of the National Academy of Sciences* (2024). DOI: 10.1073/pnas.2314772121

Provided by Binghamton University

Citation: What fire ants can teach us about making better self-healing materials (2024, May 15) retrieved 11 July 2024 from <u>https://phys.org/news/2024-05-ants-materials.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.