

Biologists find nanoplastics in developing chicken heart

May 28 2024



A picture of a chicken heart with fluorescent nanoplastics. Credits: Wang et al (2024)



Nanoplastics can accumulate in developing hearts, according to a <u>study</u> published in *Environment International* by biologist Meiru Wang from Leiden University. Her research on chicken embryos sheds new light on how these tiny plastic particles pose a threat to our health.

Disposable cups, <u>plastic bags</u> and packaging material: Plastics exposed to the elements become brittle over time, and start shedding <u>small particles</u> from their surface into nature. These particles can be as tiny as only a few nanometers in size.

You can find these nanoplastics everywhere now: in the sea, in the soil, in the <u>food chain</u>.... "And in our blood," says Wang. "Nanoplastics have even been found in human placentas."

This prompted Wang to think: What happens when those nanoplastics end up in the blood of the embryo?

"During an earlier study, we discovered that a high concentration of nanoplastics can cause malformations in the heart, eyes, and nervous systems of chicken embryos. But for a more complete understanding of the toxicity of nanoplastics, we first need more information about how they spread from the blood throughout the rest of the body."

That knowledge will also be informative in nanomedicine, where scientists aim to use nanoplastics (and other nanoparticles) as vehicles for drug-delivery.

Wang and her colleagues administered polystyrene nanoparticles directly into the bloodstream of chicken embryos. Wang says, "Chicken embryos are a widely used model for research on growth and development. In mammals, it's much more challenging to administer substances or take



measurements because their embryos develop inside the mother's womb."

Because nanoparticles are so small, it's impossible to see them using conventional microscopes. Therefore, Wang and her colleagues tagged the nanoparticles with either fluorescence or europium, a rare metal that is not naturally present in the human body.

Wang states, "We found that the nanoplastics can cross blood vessel walls, and that they accumulated to relatively high levels in the heart, liver and kidneys. Some nanoplastics were excreted by the kidneys."

Interestingly, the researchers also found nanoplastics in the avascular heart cushions: a type of heart tissue without blood vessels. "We believe the nanoplastics might enter the heart through the fenestrate. These are small openings within the developing heart tissue that play a role in the formation and remodeling of the heart's structure during development," says Wang. These fenestrations are temporary structures that typically close as the heart matures.

"Now we know how these nanoplastics spread, we can start investigating the <u>health risks</u>," says Wang. And the outlook isn't necessarily good. "There is already research linking nanoparticles to a higher risk of heart attacks and strokes. Especially during the <u>developmental stage</u>, nanoparticles could potentially be quite dangerous.

"Because of our results, we now understand that we shouldn't administer nanomedicines to <u>pregnant women</u> indiscriminately, as there is a risk that <u>nanoparticles</u> could reach and affect the developing organs of their babies."

More information: Meiru Wang et al, The biodistribution of polystyrene nanoparticles administered intravenously in the chicken



embryo, *Environment International* (2024). DOI: <u>10.1016/j.envint.2024.108723</u>

Provided by Leiden University

Citation: Biologists find nanoplastics in developing chicken heart (2024, May 28) retrieved 25 June 2024 from <u>https://phys.org/news/2024-05-biologists-nanoplastics-chicken-heart.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.