


Human activity is causing toxic thallium to enter the Baltic Sea, finds new study

May 2 2024



An early-morning cast, to collect water samples and make in-situ measurements, during the Baltic Sea investigation. Credit: Colleen Hansel, Woods Hole Oceanographic Institution

Human activities account for a substantial amount—anywhere from 20% to more than 60%—of toxic thallium that has entered the Baltic Sea over

the past 80 years, according to new research by scientists affiliated with the Woods Hole Oceanographic Institution (WHOI) and other institutions.

Currently, the amount of thallium (element symbol Tl), which is considered the most toxic metal for mammals, remains low in Baltic seawater. However, the research suggests that the amount of thallium could increase due to further anthropogenic, or human-induced, activities, or due to natural or human re-oxygenation of the Baltic that could make the sea less sulfide-rich.


Much of the thallium in the Baltic Sea, the largest human-induced hypoxic area on Earth, accumulates in the sediment thanks to abundant sulfide minerals.

"Anthropogenic activities release considerable amounts of toxic thallium annually. This study evidences an increase in the amount of thallium delivered by anthropogenic sources to the Baltic Sea since approximately 1947," according to the journal article, "[Anthropogenic forcing of the Baltic Sea thallium cycle](#)," published in *Environmental Science & Technology*.

"Humans are releasing a lot of thallium into the Baltic Sea, and people should be made aware of that. If this continues— or if we further change the chemistry of the Baltic Sea in the future or if it naturally changes—then more thallium could accumulate. That would be of concern because of its toxicity," said Chadlin Ostrander lead author of the article, which he conducted as a postdoctoral investigator in WHOI's Department of Marine Chemistry and Geochemistry. Currently, he is an assistant professor in the Department of Geology & Geophysics at the University of Utah.

For the study, the researchers set out to better understand how thallium

and its two [stable isotopes](#) ^{203}Tl and ^{205}Tl are cycled in the Baltic Sea. To discern modern thallium cycling, concentration and isotope ratio data were collected from seawater and shallow sediment core samples. To reconstruct thallium cycling further back in time, the researchers supplemented their short core samples with a longer sediment core that had been collected earlier near one of the deepest parts of the sea.



The sampling rosette is deployed from the deck of the RV Elisabeth Mann Borgese into a deep basin of the Baltic Sea. Credit: Colleen Hansel, Woods Hole Oceanographic Institution

They found Baltic seawater to be considerably more enriched in ^{205}Tl than predicted. This enrichment started around 1940 to 1947 according to the longer sediment core.

It would be "highly coincidental" if the ^{205}Tl increase was not associated with the "nearly contemporaneous trends linked to anthropogenic activities," the article states.

Though the exact sources of the thallium increase are not yet known, the article indicates that regional cement production, which was enhanced after the end of World War II, may play an important role, with other possible sources including coal combustion and the roasting of pyrite, an iron sulfide.

"For me, the most important aspect of the study is that we basically discovered that large portions—if not most—of the Baltic Sea are contaminated with the toxic metal thallium from human activities surrounding the basin," said co-author Sune Nielsen, an adjunct scientist in WHOI's Department of Geology & Geophysics.

"As far as I am aware, this constitutes the geographically most extensive area of thallium contamination ever documented. It has long been known that the Baltic Sea has been strongly affected by anthropogenic activity, not least via the increasingly persistent loss of oxygen that has led to big losses for the fishing industry over the last several decades.

"As a Danish national, I follow the (bad) news about the Baltic in the Danish media, and our finding just adds another dimension to the already poor conditions in the basin for marine life. While thallium contamination may not be the most immediate concern for the Baltic Sea ecosystem, there is no doubt in my mind that it adds to the urgency of needing to do something to bring the Baltic Sea back to a state where humans and marine life can co-exist naturally."



Chad Ostrander, lead author of the study, preparing a short sediment core collected from the East Gotland Basin during the investigation. Credit: Colleen Hansel, Woods Hole Oceanographic Institution

"Our data strengthens evidence that the removal of thallium from seawater and storage within sediments is tightly controlled by the absence of oxygen and presence of sulfide," said co-author Colleen Hansel, a senior scientist in WHOI's Department of Marine Chemistry and Geochemistry.

"It is therefore concerning that recent movements to 'solve the anoxia problem' in the Baltic Sea involve pumping oxygen into the bottom waters. This oxygenation of the Baltic will likely lead to the release of

thallium, as well as other sulfide-hosted metals like mercury, into the overlying seawater where they could bioaccumulate to toxic levels in fish.

"We predict, based on activities in the region, that the source of the thallium pollution is historic cement production in the region. As cement production continues to rise globally, this research could serve to caution manufacturers about the need to mitigate potential downstream effects of cement kiln dust on surrounding aquatic and marine ecosystems.

"This study highlights the utility of isotopes in identifying sources of pollutants to marine ecosystems, which is difficult to disentangle with concentration data alone."

More information: Chadlin M. Ostrander et al, Anthropogenic Forcing of the Baltic Sea Thallium Cycle, *Environmental Science & Technology* (2024). [DOI: 10.1021/acs.est.4c01487](https://doi.org/10.1021/acs.est.4c01487)

Provided by Woods Hole Oceanographic Institution

Citation: Human activity is causing toxic thallium to enter the Baltic Sea, finds new study (2024, May 2) retrieved 16 June 2024 from <https://phys.org/news/2024-05-human-toxic-thallium-baltic-sea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.