


Nanoscale engineering brings light-twisting materials to more extreme settings

May 30 2024



This composite film can twist light into a spiral, thanks to microscopic grooves that cause horizontally and vertically oscillating light waves to pass through the film out of phase. Unlike existing materials that can do this, the film maintains its light-twisting properties when heated up to 250 degrees Celsius. Credit: Brenda Ahearn, Michigan Engineering.


Imaging the hot turbulence of aircraft propulsion systems may now be possible with sturdy sheets of composite materials that twist light beams, according to research led by the University of Michigan and Air Force Research Laboratory.

The sheets were produced with a new manufacturing method that opens possibilities beyond [aircraft design](#), as it enables new classes of materials to be used in polarization optics. While the team demonstrated high temperature tolerance, new mechanical, electrical and physical properties are expected to emerge as well—with potential applications in energy, sensors for vehicles and robots, and space exploration.

"Combining multiple functionalities into 2D materials opens up a world of possibilities," said Dhriti Nepal, senior research materials engineer at the Air Force Research Laboratory and a co-corresponding author of the study [published](#) recently in *Nature*.

"Think of a butterfly's wings, which allow it to fly, regulate temperature, and reflect light to produce specific colors for attracting mates and avoiding predators. This technique provides new design opportunities for creating multifunctional devices capable of anything one can imagine."

The key is arranging nanomaterials that don't twist light on their own onto layers that turn light waves into either left- or right-handed spirals, known as circular polarizations. In the aircraft example, turbulence created by the engine spins the light, which is then filtered through the material for imaging. Today, devices like [LCD screens](#) and thermochromic paints already control the twist and orientation of light waves using [liquid crystals](#), but they melt not far above ambient temperatures.



To measure how well the film twists light at high temperatures, U-M researchers use a small flame as a light and heat source. Credit: Brenda Ahearn, Michigan Engineering.

"There could be situations in which you want to twist light outside the normal operating temperatures of liquid crystals. Now, we can make light-polarizing devices for those kinds of settings," said Nicholas Kotov, the Irving Langmuir Distinguished University Professor of Chemical Sciences and Engineering at U-M and lead author of the study.

The new material can twist light at 250 degrees Celsius, and through the imaging of turbulence in [aircraft engines](#) and other applications, it could enable aerospace engineers to improve designs for better aircraft flight performance.

"Future aerospace systems continue to push the edge of technical feasibility. These low-cost optical materials afford modularity, which is crucial for optimizing solutions for a broad range of future technologies," said Richard Vaia, materials and manufacturing chief scientist at the Air Force Research Laboratory and a corresponding author of the study.

To make the materials, the researchers put microscopic grooves into a plastic sheet and covered it with several layers of tiny, flat particles with a diameter 10,000 times smaller than a millimeter. These particles were held in place with alternating layers of a molecular adhesive, and they could be made from any material that can be made into flat nanoparticles. For their heat-tolerant materials, the researchers used ceramic-like materials called MXenes.



Jun Lu, an adjunct research investigator working in Kotov's lab and the study's first author, demonstrates how he uses a fire to test a film's ability to twist light at high temperatures. Credit: Brenda Ahearn, Michigan Engineering.

As light moves through the material, it divides into two beams, one with horizontally oscillating waves and another with vertically oscillating waves. The vertical waves pass through faster than the horizontal waves. As a result, the waves exit out of phase and appear as a spiral of light. The angle of the grooves determines the direction in which the light spirals, and layers of silver nanowires can help ensure the light spirals solely to the left or right.

"Our calculations suggest that the [optical properties](#) didn't come from the nanoplates themselves, but from their orientation on the grooves caused by our fabrication process," said André Farias de Moura, associate professor of chemistry at the Federal University of São Carlos and a co-corresponding author of the study.

Felippe Colombari from the Brazilian Biorenewables National Laboratory also contributed to the study. Nicholas Kotov is also the Joseph B. and Florence V. Cejka Professor of Engineering and a professor of macromolecular science and engineering.

More information: Jun Lu et al, Nano-achiral complex composites for extreme polarization optics, *Nature* (2024). [DOI: 10.1038/s41586-024-07455-4](https://doi.org/10.1038/s41586-024-07455-4)

Provided by University of Michigan

Citation: Nanoscale engineering brings light-twisting materials to more extreme settings (2024, May 30) retrieved 26 June 2024 from <https://phys.org/news/2024-05-nanoscale-materials-extreme.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.