

Personalized phage therapy heals resistant wounds in Siamese cat

May 27 2024





Squeaks relaxing after full recovery. Credit: Milat and Larry Berkley

A new study has shown an advance in the treatment of antibioticresistant infections in animals. The research, focusing on a 5-year-old Siamese cat Squeaks with a multidrug-resistant Pseudomonas aeruginosa infection post-arthrodesis surgery, marks the first published documented application of personalized phage therapy in veterinary medicine.

The research paper titled "Successful phage-antibiotic therapy of P. aeruginosa implant-associated infection in a Siamese cat" is <u>published</u> in *Veterinary Quarterly*. The study was led by Prof. Ronen Hazan and his team, from the Faculty of Dental Medicine at the Hebrew University of Jerusalem, in collaboration with the team of Vet Holim, JVMV–Veterinary medical center in Kiryat -Anavim, Israel.

Squeaks, initially treated at the JVMV for injuries sustained from a highrise fall, developed a severe infection in the right hind leg following multiple surgeries. This infection persisted despite various antibiotic treatments over four months.

Facing a potential implant-replacement surgery, the team turned to the new treatment which involved a meticulously designed combination of a specific anti-P. aeruginosa phage, a virus that kills bacteria, applied topically to the surgical wound and ceftazidime administered intramuscularly. The owners of the cat, after a short demonstration, provided most of the treatment doses of phages and antibiotics at their home.

The integration of <u>phage therapy</u> with antibiotics was aimed at targeting the pathogen effectively and directly at the site of infection, leveraging the phage's ability to be applied topically, which simplifies



administration and maximizes its concentration at the infection site. This approach allowed the surgical wound, which had remained open for five months, to fully heal after fourteen weeks of treatment.



Treatment. (A) The progress of wound healing during the period of phage therapy. Within the first few days of treatment, the secretions halted, and the wound began to reduce in size. The wound closed completely on day 115. (B) The wound's size throughout the phage therapy period. (C) The cat's left hind leg five months after the end of treatment. The wound remains closed, and there are no signs of infection. Credit: *Veterinary Quarterly* (2024). DOI: 10.1080/01652176.2024.2350661

The successful outcome of this case underscores the critical need for novel therapeutics like phage therapy to address the growing concern of



antibiotic-resistant infections, which affect up to 8.5% of surgical sites following orthopedic surgeries in companion animals. These infections not only pose significant health risks to the animals but also increase the morbidity, mortality, and costs associated with these procedures.

Recent studies suggest that phage therapy, already showing high success rates in human medicine for treating orthopedic infections and chronically infected wounds, can offer a promising solution for similar issues in veterinary practice.

Moreover, the successful treatment of this cat by its owners at home highlights the practicality and efficacy of personalized phage therapy, which could be extended to treat other pets facing similar antimicrobial resistance challenges.

Interestingly, contrary to common situations, this case was performed on an animal based on the team's insights from treating humans first.

The positive reception from veterinarians and pet owners regarding phage therapy points to a growing awareness and acceptance of this treatment option. As the new treatment continues to be explored in veterinary settings, it not only improves the health and well-being of pets but also offers valuable data that contribute to the broader application of phage therapy in both animals and humans.

This bridging of data can enhance treatment protocols and outcomes across a variety of bacterial infections, potentially changing the landscape of <u>infection</u> treatment in both veterinary and <u>human medicine</u>.

More information: Ron Braunstein et al, Successful phage-antibiotic therapy of P. aeruginosa implant-associated infection in a Siamese cat, *Veterinary Quarterly* (2024). DOI: 10.1080/01652176.2024.2350661



Provided by Hebrew University of Jerusalem

Citation: Personalized phage therapy heals resistant wounds in Siamese cat (2024, May 27) retrieved 26 June 2024 from <u>https://phys.org/news/2024-05-personalized-phage-therapy-resistant-wounds.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.