


Scientists discover huge magnetic toroids in the Milky Way halo

May 13 2024, by Chen Na



Magnetic fields in the halo of the Milky Way have a toroidal structure, extending in the radius range of 6,000 light-years to 50,000 light-years from the galaxy center. The sun is at about 30,000 light-years. Credit: NAOC

The origin and evolution of cosmic magnetic fields is a long-standing unsolved question at the frontier of astronomy and astrophysics research and has been selected as one of the key areas of investigation for many

major world-class radio telescopes, including the Square Kilometer Array (SKA) under construction. To determine the large-scale magnetic field structures in the Milky Way has been a major challenge for many astronomers in the world for decades.

In a new [study](#) published in *The Astrophysical Journal* on May 10, Dr. Xu Jun and Prof. Han Jinlin from the National Astronomical Observatories of the Chinese Academy of Sciences (NAOC) have revealed huge magnetic toroids in the halo of the Milky Way, which are fundamental for cosmic ray propagation and provide crucially constraint on the physical processes in the [interstellar medium](#) and the origin of cosmic magnetic fields.

Prof. Han, a leading scientist in this research field, has determined the [magnetic field](#) structures along the spiral arms of the galactic disk through a long-term project of measuring the polarization of pulsars and their Faraday effects.

In 1997, he found a striking anti-symmetry of the Faraday effects of cosmic radio sources in the sky with respect to the coordinates of our Milky Way galaxy, which tells that the magnetic fields in the halo of the Milky Way have a toroidal field structure, with reversed magnetic field directions below and above the [galactic plane](#).

However, to determine the size of these toroids or the strength of their magnetic fields has been a tough task for astronomers for decades.

They suspected that the anti-symmetry of the sky distribution of Faraday effects of radio sources could be produced merely by the interstellar medium in the vicinity of the sun because pulsars and some nearby radio-emission objects, which are quite near to the sun, show Faraday effects consistent with anti-symmetry.

The key is to show whether or not magnetic fields in the vast galactic halo had such a toroidal structure outside the vicinity of the sun.

In this study, Prof. Han innovatively proposed that the Faraday rotation from the interstellar medium in the vicinity of the sun could be counted by the measurements of a good number of pulsars, some of which have been obtained recently by the Five-hundred Aperture Spherical radio Telescope (FAST) by themselves, and then could be subtracted the contribution from the measurements of background cosmic sources.

All Faraday rotation measurement data in the past 30 years were collected by Dr. Xu. Through data analysis, scientists found that the anti-symmetry of the Faraday rotation measurements caused by the medium in the galactic halo exists in all the sky, from the center to the anti-center of our Milky Way, which implies that the toroidal magnetic fields of such an odd symmetry have a huge size, existing in a radius range from 6,000 light-years to 50,000 light-years from the center of the Milky Way.

This study provides human beings a new understanding of the physics of our Milky Way, and is a landmark for the researches on the cosmic magnetic fields.

More information: J. Xu et al, The Huge Magnetic Toroids in the Milky Way Halo, *The Astrophysical Journal* (2024). [DOI: 10.3847/1538-4357/ad3a61](https://doi.org/10.3847/1538-4357/ad3a61)

Provided by Chinese Academy of Sciences

Citation: Scientists discover huge magnetic toroids in the Milky Way halo (2024, May 13) retrieved 11 September 2024 from

<https://phys.org/news/2024-05-scientists-huge-magnetic-toroids-milky.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.