


Researchers unveil tritium release behavior of solid breeder irradiated with fusion neutron

May 24 2024, by Zhang Nannan




Sample layout for 14 MeV fusion neutron irradiation. Credit: FU Xuewei

A research group led by Prof. Wang Haixia from the Hefei Institutes of Physical Science of the Chinese Academy of Sciences has revealed the tritium release behavior of lithium titanate (Li_2TiO_3) breeder irradiated with fusion neutrons, which contributes to the optimization of the solid blanket design in fusion reactors.

The results were published in [*Nuclear Materials and Energy*](#) and [*International Journal of Hydrogen Energy*](#).

The [tritium](#) breeding and release behavior of solid breeders is critical to the design of solid blankets in [fusion](#) reactors. However, most breeder irradiation studies use fission neutrons, ion sources, or gamma sources, leaving a gap in the knowledge of 14 MeV fusion [neutron](#) irradiation. Therefore, experiments were performed on Li_2TiO_3 using a fusion neutron source to investigate the influence of high energy neutrons on tritium production and release performance in solid breeders.

In this study, a specialized tritium release system was developed to measure and collect tritium after fusion neutron irradiation. This system, with near 100% collection efficiency, incorporates tritium collection bubblers, automatic replacement technology, and catalytic oxidation. By minimizing tritium loss and monitoring the release of tritiated water (HTO) and tritium gas, the system allows investigation of tritium release behavior under various conditions like temperature, humidity, and heating rates.



Tritium release curve of Li_2TiO_3 in various temperature. Credit: FU Xuewei

Experimental results showed that at [room temperature](#), a limited but visible amount of tritium was released from Li_2TiO_3 samples irradiated with fusion neutrons, indicating a self-healing behavior of defects. As the temperature of the samples increased, Li_2TiO_3 showed a tritium release peak, predominantly releasing HTO.

In addition, factors such as humidity in the sweep gas, different tritium measurement methods, and heating rates significantly affected the tritium release behavior.

"Our results provide new insights for understanding the influence of fusion neutron irradiation on the tritium release mechanism," said Prof. Wang Haixia.

More information: Haixia Wang et al, Development of a tritium release system for ceramic tritium breeder pebbles irradiated by high intensity DT fusion neutron Generator at INEST, *Nuclear Materials and Energy* (2024). [DOI: 10.1016/j.nme.2024.101653](https://doi.org/10.1016/j.nme.2024.101653)

Wenhao Wu et al, Experiment study on tritium release behavior of Li₂TiO₃ ceramic breeder irradiated by 14 MeV fusion neutron, *International Journal of Hydrogen Energy* (2024). [DOI: 10.1016/j.ijhydene.2024.04.256](https://doi.org/10.1016/j.ijhydene.2024.04.256)

Provided by Chinese Academy of Sciences

Citation: Researchers unveil tritium release behavior of solid breeder irradiated with fusion neutron (2024, May 24) retrieved 26 June 2024 from <https://phys.org/news/2024-05-unveil-tritium-behavior-solid-breeder.html>

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|