


New approach to identifying altermagnetic materials

June 14 2024



Using X-ray magnetic circular dichroism, an Osaka Metropolitan University-led international research team found the spectrum characteristic of α -MnTe.
Credit: Osaka Metropolitan University

Magnetic materials have traditionally been classified as either ferromagnetic, like the decorative magnets on iron refrigerator doors

that are seemingly always magnetic, or antiferromagnetic, like two bar magnets placed end-to-end with opposite poles facing each other, canceling each other out so that the material has no net magnetism. However, there appears to be a third class of magnetic materials exhibiting what in 2022 was dubbed altermagnetism.

Microscopically, magnetism arises from a collection of tiny magnets associated with [electrons](#), called [spin](#). In [ferromagnetic materials](#), all the electron spins point in the same direction, while in antiferromagnetic materials, the electron spins are aligned in opposite directions, half pointing one way and half the other, canceling out the net magnetism.

Altermagnetic materials are proposed in theory to possess properties combining those of both antiferromagnetic and ferromagnetic materials. One potential application of altermagnetic materials is in spintronics technology, which aims to utilize the spin of electrons effectively in [electronic devices](#) such as next-generation magnetic memories. However, identifying altermagnets has been a challenge.

An international research group led by Associate Professor Atsushi Hariki from the Graduate School of Engineering at Osaka Metropolitan University pioneered a new method to identify altermagnets, using manganese telluride (α -MnTe) as a testbed. The findings were published in [Physical Review Letters](#).

With the aid of a supercomputer, the researchers theoretically predicted a fingerprint of altermagnetism in X-ray magnetic circular dichroism (XMCD), which measures the absorption difference between left- and right-circularly polarized light. Then, using the Diamond Light Source synchrotron in England, they experimentally demonstrated the XMCD spectrum for altermagnetic α -MnTe for the first time in the world.

"Our results show that XMCD is an effective method for the simple

identification of altermagnetic materials," Professor Hariki said. "Also, it can be expected to further accelerate the application of altermagnets in spintronics."

More information: A. Hariki et al, X-Ray Magnetic Circular Dichroism in Altermagnetic α -MnTe, *Physical Review Letters* (2024). DOI: [10.1103/PhysRevLett.132.176701](https://doi.org/10.1103/PhysRevLett.132.176701). On *arXiv*: DOI: [10.48550/arxiv.2305.03588](https://doi.org/10.48550/arxiv.2305.03588)

Provided by Osaka Metropolitan University

Citation: New approach to identifying altermagnetic materials (2024, June 14) retrieved 26 June 2024 from <https://phys.org/news/2024-06-approach-altermagnetic-materials.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--