


# Engineered biocatalyst for making 'drop-in' biofuels

June 28 2024, by Pratibha Gopalakrishna



Engineered whole cell biocatalyst for efficient 1-alkene production. Credit: Tabish Iqbal

Researchers at the Department of Inorganic and Physical Chemistry (IPC), Indian Institute of Science (IISc), have developed an enzymatic platform that can efficiently transform naturally abundant and inexpensive fatty acids to valuable hydrocarbons called 1-alkenes, which are promising biofuels.

Given the finite availability and polluting nature of fossil fuels, scientists are increasingly exploring sustainable fuel pathways that involve compounds called hydrocarbons. They show great potential as "drop-in" biofuels, which can be blended and used with existing fuels and infrastructure.

These hydrocarbons can potentially be synthesized on a large scale using microorganism "factories." Enzymes that help mass-produce these hydrocarbons are therefore highly sought after. Hydrocarbons are also widely used in polymer, detergent and lubricant industries.

In a [previous](#) study, the IISc team purified and characterized an [enzyme](#) called UndB, bound to the membranes of living cells, especially certain bacteria. It can convert fatty acids to 1-alkenes at the fastest rate currently possible. But the team found that the process was not very efficient—the enzyme would become inactivated after just a few cycles. When they investigated further, they realized that  $H_2O_2$ —a byproduct of the reaction process—was inhibiting UndB.

In the current study published in [Science Advances](#), the team circumvented this challenge by adding another enzyme called catalase to the reaction mix.

"The catalase degrades the  $H_2O_2$  that is produced," explains Tabish Iqbal, first author of the study and Ph.D. student at IPC. Adding catalase, he says, enhanced the activity of the enzyme 19-fold, from 14 to 265 turnovers (turnover indicates the number of active cycles an enzyme completes before getting inactivated).

Excited by this finding, the team decided to create an artificial fusion protein combining UndB with catalase, by introducing a fused genetic code via carriers called plasmids into *E. coli* bacteria. Given the right conditions, these *E. coli* would then act as a "whole cell biocatalyst,"

converting fatty acids and churning out alkenes.



From left to right: Subhashini Murugan, Debasis Das, Tabish Iqbal. Credit: Jayaprakash K

However, there were several challenges. Being a membrane protein, UndB is extremely challenging to work with. Beyond a certain concentration, it can be toxic to bacterial cells. Membrane proteins like UndB are also not soluble in water, making it hard to maintain the right conditions for studying them.

To improve the efficiency of their chimeric protein, the team tested the effect of various "redox partner" proteins that help shuttle electrons to

UndB during the conversion of fatty acids to alkenes.

They found that proteins called ferredoxin and ferredoxin reductase, along with nicotinamide adenine dinucleotide phosphate (NADPH), were able to supply electrons most efficiently. On incorporating these in the genetically modified *E. coli* and feeding fatty acids, the efficiency of conversion rose up to 95%.

A key advantage of this biocatalyst is that UndB is very specific and does not produce any unwanted side products—pure 1-alkene is the only product, says Debasis Das, Assistant Professor at IPC and corresponding author. "1-alkenes can directly be used as biofuels," he adds.

The team found that their biocatalyst could convert a wide range of [fatty acids](#) containing different types of carbon chains to 1-alkene. They also showed that the biocatalyst can produce styrene, an important commodity in chemical and polymer industries.

The team has applied for a patent for their engineered protein and whole cell biocatalyst. They are also looking for industry collaborators to scale up the platform for mass-production.

"Our platform can be efficiently used to generate a large number of 1-alkenes that are valuable in biotechnology and polymer industries," says Das.

**More information:** Tabish Iqbal et al, A chimeric membrane enzyme and an engineered whole-cell biocatalyst for efficient 1-alkene production, *Science Advances* (2024). [DOI: 10.1126/sciadv.adl2492](https://doi.org/10.1126/sciadv.adl2492)

Provided by Indian Institute of Science

Citation: Engineered biocatalyst for making 'drop-in' biofuels (2024, June 28) retrieved 30 June 2024 from <https://phys.org/news/2024-06-biocatalyst-biofuels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.