

Climate change to shift tropical rains northward, suggests computer modeling

June 28 2024



Credit: Pixabay/CC0 Public Domain

A study led by a UC Riverside atmospheric scientist predicts that unchecked carbon emissions will force tropical rains to shift northward in the coming decades, which would profoundly impact agriculture and



economies near the Earth's equator.

The northward rain shift would be caused by complex changes in the atmosphere spurred by carbon emissions that influence the formation of the intertropical convergence zones. Those zones are essentially atmospheric engines that drive about a third of the world's precipitation, Liu and his co-authors report in a paper published June 28 in the journal *Nature Climate Change*. The paper's title is "Contrasting fast and slow intertropical convergence zone migrations linked to delayed Southern Ocean warming."

Tropical regions on either side the equator, such as central African nations, northern South America, and Pacific island states, among other regions, would be the most affected. Major crops grown in the tropics include coffee, cocoa, palm oil, bananas, sugarcane, tea, mangoes, and pineapples.

However, the northward shift will last for only about 20 years before greater forces stemming from warming southern oceans pull the convergence zones back southward and keep them there for another millennium, said Wei Liu, an associate professor of climate change and sustainability at UCR's College of Natural and Agricultural Sciences.

Intertropical convergence zones are areas along or near the equator where trade winds from the northern and southern hemispheres meet and shoot upward into the cooler elevations, sucking up great volumes of moisture from the oceans. As this humid air cools at <u>higher elevations</u>, thunderclouds form, allowing for drenching rainstorms. Tropical rainforests can have as much as 14 feet of rain a year.

"The rainfall change is very important," Liu said. "It's a very heavy rainfall region. So, a small shift will cause big changes in agriculture and the economy of the societies. It will affect many regions."



Liu and his colleagues used sophisticated computer models to predict the atmospheric influence of carbon dioxide emissions from continued burning of fossil fuels and other sources, Liu said.

"This climate model included many components of the atmosphere, ocean, sea ice, and land. All these components are interacting with each other," he said. "Basically, we try to simulate the real world. In the model, we can increase our <u>carbon dioxide emissions</u> from pre-industrial levels to much higher levels."

The analysis accounted for how <u>carbon emissions</u> influence the amount of radiant energy at the top of atmosphere. It also considered changes in sea ice, water vapor and cloud formation. These and other factors resulted in conditions that push the rain-forming <u>convergence</u> zones northward by as much as 0.2 degrees on average.

More information: Contrasting fast and slow intertropical convergence zone migrations linked to delayed Southern Ocean warming, *Nature Climate Change* (2024). DOI: 10.1038/s41558-024-02034-x.

Provided by University of California - Riverside

Citation: Climate change to shift tropical rains northward, suggests computer modeling (2024, June 28) retrieved 17 July 2024 from https://phys.org/news/2024-06-climate-shift-tropical-northward.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.