

Towards next-gen functional materials: Nanotube crystal enables direct observation of electron transfer in solids

June 4 2024



The novel double-walled nanotube structure developed in this study can absorb electron donor molecules and maintain its crystalline nature during electron transfer, thus facilitating electron transfer observation. Credit: Junpei Yuasa, Tokyo University of Science

Electron transfer (ET) is a process in which an electron is transferred from one atom or molecule to another. ET is fundamental to electrochemical reactions with applications in many fields. Nanoscale ET, which involves the transfer of electrons in the range of 1–100



nanometers in solids, is fundamental to the design of multifunctional materials. However, this process is not yet clearly understood.

Nanotubes, nanomaterials with unique cylindrical nanostructures, offer a variety of ET properties that can be realized through electron and hole (vacant spaces left by electrons) injections into the <u>nanotubes</u>, making them a suitable candidate for studying nanoscale ET. Although carbonbased nanotubes have fascinating ET properties, they are particularly difficult to control in terms of their shape and size due to extreme conditions, such as high temperatures, required for their synthesis.

A viable approach for fabricating well-defined tunable nanotubes is bottom-up fabrication of non-covalent nanotubes, which sometimes result in crystalline-form nanotubes. Non-covalent nanotubes are formed through the inherent attractive interactions or non-covalent interactions between atoms, instead of the strong covalent interactions seen in carbon nanotubes. However, they are not strong enough to endure electron and hole injections, which can break their non-covalent interactions and destroy their crystalline structure.

In a recent study, a team of researchers from the Department of Applied Chemistry at Tokyo University of Science, led by Professor Junpei Yuasa and including Dr. Daiji Ogata, Mr. Shota Koide, and Mr. Hiroyuki Kishi, used a novel approach to directly observe solid-state ET.

Prof. Yuasa explains, "We have developed crystalline nanotubes with a special double-walled structure. By incorporating electron donor molecules into the pores of these crystalline nanotubes through a solid-state oxidation reaction, we succeeded in directly observing the <u>electron</u> <u>transfer</u> reaction in the solid using X-ray <u>crystal structure analysis</u>."

Their findings were <u>published</u> in the journal *Nature Communications* on May 23, 2024.



The researchers used a novel supramolecular crystallization method, which involves oxidation-based crystallization, to fabricate zinc-based double-walled crystalline nanotubes. This double-walled structure with large windows in the nano-tube walls makes the crystal robust and flexible enough to maintain its crystalline state when subjected to ET oxidation processes. Moreover, this structure allows the crystal to absorb electron donor molecules.

The researchers used ferrocene and tetrathiafulvalene as electron donor molecules, which were absorbed through the windows of the nanotube crystals. This allows electrons to be removed from the absorbed electron donors through solid-state ET oxidation reactions, resulting in the accumulation of holes in the donors inside the nanotube. Due to the robustness of the crystals, the researchers were able to observe this ET oxidation process using X-ray crystal structure analysis directly, uncovering key insights.

This novel approach is highly valuable for direct observation of ET in solid nanomaterials. Highlighting the potential applications of this study, Prof. Yuasa says, "Understanding ET can lead to the development of novel functional materials, which in turn can lead to the design of more efficient semiconductors, transistors, and other electronic devices.

"Optoelectronic devices, such as solar cells, rely heavily on ET. Hence, direct observation of ET can help improve these devices' performance. Additionally, this approach can lead to advancements in energy storage, nanotechnology, and materials science research."

Overall, this study is a striking example of direct observation of solidstate ET, which can be expanded to observe ET and related phenomena in other nanomaterials.

More information: Daiji Ogata et al, Direct observation of electron



transfer in solids through X-ray crystallography, *Nature Communications* (2024). DOI: 10.1038/s41467-024-48599-1

Provided by Tokyo University of Science

Citation: Towards next-gen functional materials: Nanotube crystal enables direct observation of electron transfer in solids (2024, June 4) retrieved 26 June 2024 from <u>https://phys.org/news/2024-06-gen-functional-materials-nanotube-crystal.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.