

Novel method optimizes extraction of antioxidant and colorant from jabuticaba peel

June 28 2024



Plinia cauliflora. Credit: Wikimedia Commons [Bruno.karklis](#) Creative Commons Attribution-[Share Alike 3.0 Unported license](#).

Scientists at the State University of Campinas (UNICAMP) in Brazil and the University of Cadiz (UCA) in Spain have successfully deployed a novel method of extracting high-value-added chemical compounds from the peel of jabuticaba (*Plinia cauliflora*). The method, which simplifies the process and enhances its efficiency, is described in an article [published](#) in *Journal of Food Composition and Analysis*.

The aim was to optimize extraction of anthocyanin, a potent antioxidant found in strawberries, blackberries and raspberries as well as jabuticabas, among other sources. It has anti-inflammatory effects and is also a natural colorant responsible for the shades of red, blue and purple seen in many flowers, fruits, leaves, stalks and roots.

The study focused on simultaneous extraction and purification of anthocyanin derived from jabuticaba peel, a lignocellulosic residue. "The investigation meticulously adjusted the extraction parameters in order to achieve optimal results," says Tânia Forster-Carneiro, a professor at UNICAMP's School of Food Engineering (FEA). She has worked there since 2013, specializing in bioengineering and biotechnology research.

After optimizing extraction, the researchers developed a purification technique using biosorbent material derived from the residue. Sorbents take up materials by absorption or adsorption. Simply put, a biosorbent is a natural sorbent resembling a selective sponge that removes certain substances from a mixture while letting others through.

"Biosorbents are widely used in purification processes to remove pollutants and other substances from liquids or gases. They basically act as filters, screening out unwanted components of a mixture," says Forster-Carneiro, who earned a Ph.D. in industrial process engineering from UCA in 2004.

The optimized parameters for anthocyanin extraction were 40 minutes of maceration at 60 °C in a 50% MeOH (methanol) solution. In this context, the biosorbent derived from jaboticaba waste purified the extracted anthocyanin with 90% efficiency, outperforming the commercial adsorbent used for comparison (PoraPak Rxn).

The EcoScale rating was 86 out of 100, which is impressive according to Forster-Carneiro. The [EcoScale](#) is a semi-quantitative tool for evaluating the "greenness" of a chemical reaction at the laboratory scale.

It ranges from zero to 100, with zero representing a totally failed reaction (0% yield) and 100 the ideal reaction defined as compound A (substrate) reacting with or in the presence of inexpensive compound(s) B to give the desired compound C with 100% yield at room temperature, minimal risk for the operator and minimal impact for the environment.

In the article, the researchers compare the novel method of anthocyanin [extraction](#) to nine other processes described in the scientific literature, and for which the EcoScale ranges from 33.95 to 73.6 (giving an average of 51.79).

"More research needs to be done to adapt this method for large-scale production, but the study represents significant progress in the field," says Forster-Carneiro, who is principal investigator for a [project](#) at UNICAMP supported by FAPESP.

More information: Tiago Linhares Cruz Tabosa Barroso et al, Simple

procedure for the simultaneous extraction and purification of anthocyanins using a jaboticaba byproduct biosorbent, *Journal of Food Composition and Analysis* (2024). [DOI: 10.1016/j.jfca.2024.106181](https://doi.org/10.1016/j.jfca.2024.106181)

Provided by FAPESP

Citation: Novel method optimizes extraction of antioxidant and colorant from jaboticaba peel (2024, June 28) retrieved 30 June 2024 from <https://phys.org/news/2024-06-method-optimizes-antioxidant-jaboticaba.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.