


# Overriding Mendel's laws: Researchers develop plant gene drive system for enhanced trait inheritance

June 17 2024



Design: A gRNA-Cas9 element targeting the essential *no pollen germination 1* (*NPG1*) gene acts as a toxin; A recoded, CRISPR-resistant copy of *NPG1* serves as the antidote. The genetically linked cargo can be any gene intended for propagation within a natural population. Mechanism: The toxin is expressed in diploid cells and disrupts both copies of *NPG1* thus preventing pollen germination. The antidote provides rescue only in pollen cells that carry *CAIN*.

Transmission: Distinct from Mendelian inheritance, *CAIN* can rapidly spread through population. Credit: IGDB

A collaborative research team has developed a plant gene drive system called CRISPR-Assisted Inheritance utilizing NPG1 (*CAIN*), which, according to the researchers, uses a toxin-antidote mechanism in the male germline to override Mendelian inheritance in plants.

Their findings were [published](#) in *Nature Plants*.

In nature, gene inheritance typically follows Mendel's laws, which provide an equal chance for alleles to pass on to the next generation—a cornerstone of Darwinian natural selection. However, super-Mendelian inheritance allows certain genes to be inherited at rates greater than the expected 50%, potentially allowing these genes to spread through populations even if they are detrimental to organisms.

This mechanism opens the door to manipulating [natural populations](#) by introducing alleles that benefit humans even if they harm plant organisms themselves, or to eliminating species that are considered detrimental to human interests.

Such advances offer innovative solutions to global challenges, including combating [plant diseases](#), ensuring [food security](#) against agricultural pests or weeds, and addressing environmental crises resulting from biodiversity loss.

In this study, the *CAIN* system works through a toxin antidote mechanism within the male germline, bypassing traditional Mendelian [inheritance](#). It uses a CRISPR-Cas9 construct that disrupts the key gene responsible for pollen germination (NPG1), thereby acting as the

"toxin." The "antidote" is a recoded, CRISPR-resistant NPG1 gene that rescues functionality, but only in pollen cells containing the gene drive.

The researchers used the self-pollinating plant *Arabidopsis thaliana* for this study in order to prevent unintended spread to natural populations. They reported a strikingly high transmission rate of the gene drive—between 88% and 99%—over two generations.

The demonstration of CAIN in *Arabidopsis* paves the way for broader applications in plant genetics. As researchers navigate this emerging field, CAIN and similar gene drive systems hold the promise of transforming ecological management and agricultural practices.

The team was led by Qian Wenfeng from the Institute of Genetics and Developmental Biology (IGDB) of the Chinese Academy of Sciences and Peking University

**More information:** Yang Liu et al, Overriding Mendelian inheritance in *Arabidopsis* with a CRISPR toxin–antidote gene drive that impairs pollen germination, *Nature Plants* (2024). [DOI: 10.1038/s41477-024-01692-1](https://doi.org/10.1038/s41477-024-01692-1)

Provided by Chinese Academy of Sciences

Citation: Overriding Mendel's laws: Researchers develop plant gene drive system for enhanced trait inheritance (2024, June 17) retrieved 15 August 2024 from <https://phys.org/news/2024-06-overriding-mendel-laws-gene-trait.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.