


# Untapped power: Logical operations using RNA droplets

June 7 2024



Researchers introduce computational RNA droplets capable of performing two-input AND logic operations, offering a flexible approach for programmable assembly of biomolecular devices and artificial cells. Credit: Tokyo Institute of Technology

RNA droplets can now be used to perform logical operations that take

microRNA sequences as inputs, report scientists from Tokyo Tech. By self-assembling into network-like structures, RNA molecules form liquid-state droplets. These RNA droplets disperse only when the correct microRNA sequences are present by performing the logical AND operation. This innovative strategy could pave the way to advances in biomolecular sensing, artificial cells, and computational biodevices.

DNA and RNA encode [genetic information](#) and are involved in protein synthesis. In DNA/RNA nanotechnology, their information-processing capabilities are harnessed to form programmable 2D/3D structures. In recent years, DNA droplets, liquid-state condensates of synthetic DNA, have attracted increasing attention as molecular sensing and biocomputational devices.

While DNA droplets have captured the spotlight in this advanced research field, their RNA counterparts can be just as powerful, if not more. Compared to DNA, RNA has much more varied functions besides its role in protein synthesis. Additionally, it can adopt a broad array of molecular structures. Unfortunately, despite its versatility, few studies have explored the untapped potential of RNA droplets as a tool for biocomputing and bio-nanotechnology.

Against this backdrop, a team of researchers, including Professor Masahiro Takinoue and post-doctoral researcher Hirotake Udono from Tokyo Institute of Technology, Japan, set out to develop a new type of "computational RNA droplets," which can be used to perform logic operations akin to electronic devices. [Their study findings](#) were published on June 3 in *ACS Nano*.

These programmable RNA droplets are constructed through RNA's capabilities for sequence recognition and secondary structure formation. "Our approach is based on the kissing loop (KL) interaction, which occurs between two internally folded single-stranded RNAs," explains

Takinoue. "This enables the [self-assembly](#) of these folded structures into stable complex structures."

Simply put, the researchers carefully engineered the nucleotide sequence of the RNA strands so that they would spontaneously assemble into predetermined molecular structures, which also attract each other to form a large-scale network.

The phase-state controllability of RNA droplets is underlain by a type of key-and-lock mechanism that can only be 'opened' by a specific microRNA sequence. Due to the way the RNA structures were designed, only when two given microRNA sequences are present at the same time will the network disassemble into chain-like structures. When this happens, it causes a noticeable change in the phase of the RNA droplets, which become more dispersed in the solution.

In computational terms, the proposed RNA droplets can effectively perform the logical AND operation, taking two microRNA sequences as inputs. The researchers also stated that designing similar RNA droplets for other logical operations is also possible.

This versatility could prove useful in several applications, as Takinoue remarks, "Our computational RNA droplets can be applied to the in situ programmable assembly of computational biomolecular devices and artificial cells from transcriptionally derived RNA within biological or artificial cells."

On top of this, these RNA droplets hold much promise as convenient diagnostic tools. Since they can detect the presence of specific RNA sequences, they can be used to look for disease biomarkers. "Unlike previously reported submicroscopic RNA-based logic operators, the macroscopic phase change of our RNA [droplets](#) provides a readout for molecular sensing that can be distinguished with the naked eye," says

Takinoue.

Overall, this study highlights RNA's dual role as both a tool and a building block for versatile bioengineering devices.

**More information:** Hirotake Udono et al, Programmable Computational RNA Droplets Assembled via Kissing-Loop Interaction, *ACS Nano* (2024). [DOI: 10.1021/acsnano.3c12161](https://doi.org/10.1021/acsnano.3c12161)

Provided by Tokyo Institute of Technology

Citation: Untapped power: Logical operations using RNA droplets (2024, June 7) retrieved 26 June 2024 from <https://phys.org/news/2024-06-untapped-power-logical-rna-droplets.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--