


Spontaneous supercrystal discovered in switching metal-insulator

July 23 2024, by Syl Kacapyr



Depiction of X-ray nanodiffraction assisted by machine learning, electron microscopy, and local resistivity measurements shedding light on a novel supercrystal state forming spontaneously in a thin film Mott insulator during metal-insulator transition. Credit: Oleg Gorobtsov

A supercrystal formation previously unobserved in a metal-insulating material was discovered by a Cornell-led research team, potentially unlocking new ways to engineer materials and devices with tunable electronic properties.

The researchers showed that the [atomic structure](#) in the thin-film Mott insulator Ca_2RuO_4 —part of a unique family of materials that can switch between being a metal and an insulator due to [quantum effects](#)—forms an anisotropic, organized pattern with multiple spatial periods below temperatures of 200 to 250-degrees Kelvin. The spontaneous supercrystal formation was [detailed](#) June 17 in the journal *Advanced Materials*.

"This is a great example of complexity arising from simplicity," said Oleg Gorobtsov, postdoctoral fellow and lead author of the study.

"Usually, to create a supercrystal, you have to artificially engineer multiple layers of different materials on top of each other. Here is an example of how a relatively simple system demonstrates a very complex hierarchy of phase domains with different length scales."

The discovery is the result of an analysis technique developed by the research group of Andrej Singer, associate professor of materials science and engineering and senior author of the study. [In 2023](#), Singer and others demonstrated how a combination of high-powered X-rays,

phase-retrieval algorithms and [machine learning](#) can provide a real-space visualization of materials at the nanoscale.

This technique revealed a new type of strain-induced nanopattern that spontaneously forms in Ca_2RuO_4 during cooling to cryogenic temperatures. By zooming out, the latest research showed that the 10-nanometer structure was embedded in a larger supercrystal.

"By leveraging the synergy between state-of-the-art synthesis and characterization of structural and [electronic properties](#), we were able to show that the orientation of this larger structure dictates the electronic properties," Singer said. "This is essentially a switch that can control how electricity flows through, offering potential advancements in energy-efficient electronics."

The versatile control capabilities of Mott insulators make them ideal materials for various applications, including memory elements and [optical switches](#). Switchable structures such as the supercrystal state in Ca_2RuO_4 could offer a powerful means of influencing the energy balance between competing ground states, according to Gorobtsov.

"We don't just get the switch between conductivity and non-conductivity, but we also get this switch in the preferential direction of the current," Gorobtsov said, "which gives us a new lever to control technologically-relevant properties, potentially not just in this material, but in others as well."

More information: Oleg Yu. Gorobtsov et al, Spontaneous Supercrystal Formation During a Strain-Engineered Metal–Insulator Transition, *Advanced Materials* (2024). [DOI: 10.1002/adma.202403873](https://doi.org/10.1002/adma.202403873)

Provided by Cornell University

Citation: Spontaneous supercrystal discovered in switching metal-insulator (2024, July 23)
retrieved 23 July 2024 from <https://phys.org/news/2024-07-spontaneous-supercrystal-metal-insulator.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.