

Characterizing the impact of 700 years of Inuvialuit subsistence hunting on beluga whales

August 14 2024



Sample localities and data overview. Credit: *Proceedings of the National Academy of Sciences* (2024). DOI: 10.1073/pnas.2405993121



An international team of researchers, led by scientists from the University of Copenhagen and University of Toronto, analyzed beluga whale bones retrieved from archaeological sites in the Mackenzie Delta, Northwest Territories, Canada, to shed light on the sustainability of centuries of Inuvialuit beluga whale subsistence harvests.

The study is <u>published</u> in the journal *Proceedings of the National Academy of Sciences*.

"Since Inuvialuit ancestors arrived in the Mackenzie Delta around 800 years ago, <u>beluga whales</u> have been central to their livelihood and culture," said archaeologist and co-senior author Professor Max Friesen from University of Toronto.

"However, little is known of the impact of centuries of sustained subsistence harvests on the beluga population."

Integrating paleogenomics, genetic simulations, and <u>stable isotope</u> <u>analysis</u> of 45 zooarchaeological beluga remains, and comparing the findings with contemporary data from <u>tissue samples</u> provided by Inuvialuit hunters from their beluga subsistence hunts, the team characterized the effect of 700 years of subsistence harvests on beluga <u>genetic diversity</u>, population structuring, and foraging ecology.

"We found no changes in genetic diversity or population structuring over time, indicating population continuity," said first author Postdoc Mikkel Skovrind from University of Copenhagen's Globe Institute.

"Our findings suggest Inuvialuit harvests had a negligible impact on the genetic diversity of contemporary Mackenzie belugas."



The authors used genomic data to sex the belugas and found remarkable shifts in the ratio of females and males harvested across time, suggesting past changes in Inuvialuit resource use.

"The stable isotope data showed concurrent shifts in the foraging ecology of female and male belugas, and may suggest changes over time in beluga behavior or regional ecosystems," said paleogeneticist and cosenior author of the study Professor Eline Lorenzen from Globe Institute.

"Our study highlights the applicability of combining genomic sexing and isotope analysis of zooarchaeological remains for advancing our understanding of past hunting practices and faunal ecologies."

More information: Mikkel Skovrind et al, Elucidating the sustainability of 700 y of Inuvialuit beluga whale hunting in the Mackenzie River Delta, Northwest Territories, Canada, *Proceedings of the National Academy of Sciences* (2024). DOI: 10.1073/pnas.2405993121

Provided by University of Copenhagen

Citation: Characterizing the impact of 700 years of Inuvialuit subsistence hunting on beluga whales (2024, August 14) retrieved 14 August 2024 from <u>https://phys.org/news/2024-08-characterizing-impact-years-inuvialuit-subsistence.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.