


# Electrical impedance tomography plus extracellular voltage activation technique simplifies drug screening

August 1 2024



The EIT-EVA PCB sensor setup used to evaluate the effects of drugs on hERG channels. The sensor measures changes in extracellular resistance as voltage-gated hERG channels are activated and inhibited, providing real-time data on drug safety. Credit: *Lab on a Chip* (2024). DOI: 10.1039/D4LC00230J

When developing new drugs, understanding their effects on ion channels

in the body, such as the human ether-a-go-go-related gene (hERG) ion channel found in neurons and heart muscle cells, is critical. Blocking hERG channels can disrupt a normal heart rhythm, potentially leading to a fatal condition known as torsade de pointes.

Current methods for assessing these effects typically involve invasive procedures like patch-clamp techniques or fluorescence microscopy. These methods alter cell properties and may affect measurement accuracy, requiring specialized equipment and expertise, which increases cost and complexity.

To address these challenges, researchers led by Daisuke Kawashima, an Assistant Professor at the Graduate School of Engineering at Chiba University, have proposed a novel, [non-invasive method](#) for [real-time](#) evaluation of drug effects on hERG channels. The work is [published](#) in the journal *Lab on a Chip*.

They developed a [printed circuit board](#) (PCB) sensor integrating electrical impedance tomography (EIT) with extracellular voltage activation (EVA). EIT measures impedance changes caused by ion movement, offering spatial information about extracellular ion distribution. EVA involves applying controlled extracellular voltages to induce changes in ion channel activity.

This integrated approach allows researchers to non-invasively activate hERG channels and monitor real-time ion flow changes in response to drug exposure.

**More information:** Muhammad Fathul Ihsan et al, Non-invasive hERG channel screening based on electrical impedance tomography and extracellular voltage activation (EIT–EVA), *Lab on a Chip* (2024). [DOI: 10.1039/D4LC00230J](#)

Provided by Chiba University

Citation: Electrical impedance tomography plus extracellular voltage activation technique simplifies drug screening (2024, August 1) retrieved 7 September 2024 from <https://phys.org/news/2024-08-electrical-impedance-tomography-extracellular-voltage.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.