


Study shows an electrically-activated protein regulates spermatogenesis

August 29 2024




Maturing sperm sense "electrical signals". Immature spermatozoa sense "electrical signals" and the lipid composition of the cell membrane is appropriately regulated by the enzymic activity. Credit: Takafumi Kawai

Frankenstein's monster was brought to life by the judicious application of a little electricity; and a surprising number of processes in our bodies are regulated by electrical currents too. Now, researchers from Japan reveal that electricity may play a key role in male fertility.

In a study [published](#) in *Nature Communications*, researchers from Osaka University reveal that a protein whose activity is dependent on [electrical signals](#) plays a crucial part in [sperm](#) development. The paper is titled "The significance of electrical signals in maturing spermatozoa for phosphoinositide regulation through voltage-sensing phosphatase."

Sperm go through a developmental process as they move through the male reproductive system that allows them to mature and acquire the ability to fertilize an egg. Part of this process involves changing the types of lipids, or fatty molecules, that are present in sperm cell membranes. These changes are enacted by enzymes, which have to be activated at a specific point in the sperm development timeline.

"We recently identified the functional expression of an unusual voltage-sensing phosphatase (VSP) in spermatozoa. This unique protein shows phosphatase activity in response to changes in cell [membrane](#) potential," says lead author of the study Takafumi Kawai. "However, it remained unclear whether VSP senses the membrane potential of spermatozoa, and if so, how this affects spermatozoa maturation."



Schematic illustration showing the model for mVSP activation in spermatozoa.
Credit: *Nature Communications* (2024). DOI: 10.1038/s41467-024-51755-2

To explore this, the researchers eliminated VSP expression in mouse sperm. They then evaluated the lipid content of the sperm cell membranes at different stages of sperm development in the cells without VSP compared with cells with VSP.

"The results were very clear," states Yasushi Okamura, senior author. "In the absence of VSP, the certain membrane lipid composition was not completely matured in spermatozoa, suggesting that VSP is required for proper [spermatozoa](#) development."

Next, the researchers created a mutant version of VSP that changed its

responsiveness to [electrical stimulation](#) and tested the effects of this mutant in mice. Compared with normal mice, sperm from the mice expressing the mutant protein were noticeably abnormal in motility.

"Our findings show that, in developing sperm, VSP responds to electrical signals by promoting appropriate maturation of the cell membrane," says Kawai.

Given that proper sperm development and function are crucial to [male fertility](#), the findings from this study could be used to help develop clinical treatments for infertility in the future. In addition, investigating the unique mechanism by which VSP converts electrical signals into chemical signals is likely to provide new insight into cell development.

More information: Takafumi Kawai et al, The significance of electrical signals in maturing spermatozoa for phosphoinositide regulation through voltage-sensing phosphatase, *Nature Communications* (2024). [DOI: 10.1038/s41467-024-51755-2](https://doi.org/10.1038/s41467-024-51755-2)

Provided by Osaka University

Citation: Study shows an electrically-activated protein regulates spermatogenesis (2024, August 29) retrieved 29 August 2024 from <https://phys.org/news/2024-08-electrically-protein-spermatogenesis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.