


# Pyramid optical networks for unidirectional image magnification and demagnification

August 1 2024

---



Artistic depiction of a pyramid diffractive optical network for unidirectional image magnification and demagnification. Credit: Ozcan Lab / UCLA.

In *Light: Science & Applications* journal UCLA researchers [introduce](#) an innovative design for diffractive deep neural networks (D<sup>2</sup>NNs). This new architecture, termed Pyramid-D<sup>2</sup>NN (P-D<sup>2</sup>NN), achieves unidirectional image magnification and demagnification, significantly reducing the number of diffractive features required.

The results have broad applications in optical communications, surveillance, and photonic device isolation.

Diffractive deep neural networks (D<sup>2</sup>NNs) are [optical systems](#) composed of successive transmissive layers optimized through [deep learning](#) to perform computational tasks in an all-optical manner.

The UCLA research team, led by Professor Aydogan Ozcan, has developed a pyramid-structured diffractive optical network, which scales its layers pyramidally to align with the direction of image magnification or demagnification.

This design ensures high-fidelity image formation in one direction while inhibiting it in the opposite direction, achieving unidirectional imaging with fewer diffractive degrees of freedom. The researchers also demonstrate that by cascading multiple P-D<sup>2</sup>NN modules, higher magnification/demagnification factors can be achieved, showcasing the system's modularity and scalability.

The P-D<sup>2</sup>NN architecture was experimentally validated using terahertz (THz) illumination. The diffractive layers, fabricated through 3D printing, were tested under continuous-wave THz illumination.

The experimental results, involving different designs for magnification and demagnification, closely matched the numerical simulations. The outputs in the forward direction accurately reflected the magnified or demagnified input images, while the outputs in the backward direction produced low-intensity, non-informative results, as desired for unidirectional imaging.

## Applications and future prospects

The P-D<sup>2</sup>NN framework's ability to suppress backward energy transmission while dispersing the original signal into unperceivable noise at the output makes it a promising tool for various applications. These include optical isolation for photonic devices, decoupling of transmitters and receivers in telecommunications, privacy-protected [optical communications](#), and surveillance.

Moreover, the system's polarization-insensitive operation and ability to deliver high-power structured beams onto target objects while protecting the source from counterattacks highlight its potential in various defense-related applications.

**More information:** Bijie Bai et al, Pyramid diffractive optical networks for unidirectional image magnification and demagnification, *Light: Science & Applications* (2024). [DOI: 10.1038/s41377-024-01543-w](#)

Provided by UCLA Engineering Institute for Technology Advancement

Citation: Pyramid optical networks for unidirectional image magnification and demagnification (2024, August 1) retrieved 1 August 2024 from <https://phys.org/news/2024-08-pyramid-optical-networks-unidirectional-image.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.