

# Specialized materials could passively control the internal temperature of space habitats

August 19 2024, by Andy Tomaswick

---



Artist's depiction of a habitat on the moon. Credit: ESA/Foster + Partners

Areas of space have wildly different temperatures depending on whether they are directly in sunlight or not. For example, temperatures on the moon can range from  $121\text{ }^{\circ}\text{C}$  during the lunar "day" (which lasts for two weeks), then drop down to  $-133\text{ }^{\circ}\text{C}$  at night, encompassing a  $250\text{ }^{\circ}\text{C}$

swing.

Stabilizing the temperature inside a habitat in those environments would require heating and cooling on a scale never before conducted on Earth. But what if there was a way to ease the burden of those temperature swings? Phase change materials (PCMs) might be the answer, according to a [paper](#), appearing in *Thermo*, by researchers at the Universidad Politecnica de Madrid.

PCMs have been known for some time and are currently used in several industries, including batteries, solar power plants, [heat pumps](#), and even spacecraft. Perhaps most interestingly, they've been used to cool and heat the interiors of buildings on Earth.

They do so by absorbing heat during the hot parts of a period (whether a day or season) and emitting that heat in the cooler parts of a later period. They act like a giant thermal "sink," making it take longer to heat or cool and providing insulation to anything it surrounds.

Another way to think of this is through the concept of thermal inertia. When an object, like a building, is in the sun, it is directly impacted by the sun's rays, causing it to heat up. Alternatively, if it is no longer in the sun but still contains a lot of thermal energy, it will start radiating some of that heat away. In vacuums, radiative energy is transmitted through infrared light like [space](#).

PCMs have such large thermal inertia because they either absorb or emit lots of energy as they change between phases, such as between solid and liquid or liquid and gas. For example, the paper describes using n-octadecane as one of the PCMs being considered. It switches state around 28 °C, slightly above [room temperature](#). Which makes it perfect for holding a room at right about that temperature.

Changing the temperature of something built with PCMs is much more complicated, and that challenge can make it easier to regulate the temperature inside a space habitat. The researchers modeled what would happen if a space habitat were built with PCMs inside the walls, and they found a significant decrease in the heating and cooling required to keep the habitat within the temperature range of being comfortable for humans.

Other factors were included in the calculation, such as the reflectivity of the outer surface of the wall and the part of the solar cycle the sun was experiencing. However, the authors found that given optimal conditions, designers could completely passively heat and cool a space habitat using only PCMs.

That is a pretty impressive feat, though the optimal conditions are improbable to ever happen in practice. Still, any [energy savings](#) the materials might provide will be welcome on a habitat that will likely be energy-starved when it starts. However, many different ideas exist about how those habitats should be built, including using regolith on the moon.

It is unclear how feasible it would be to include PCMs in cave walls or other structures involving local materials. The sheer amount of PCMs necessary to thermally control a massive human habitat might also be prohibitively expensive to launch at current prices.

However, materials keep improving, and there are obvious advantages to using these materials in this context. While they might not be integrated into some of the early habitats humanity builds in space, they will undoubtedly be used in future ones, and this paper is one step towards that.

**More information:** A. Borshchak Kachalov et al, Preliminary Design of a Space Habitat Thermally Controlled Using Phase Change Materials,

*Thermo* (2023). [DOI: 10.3390/thermo3020014](https://doi.org/10.3390/thermo3020014)

Provided by Universe Today

Citation: Specialized materials could passively control the internal temperature of space habitats (2024, August 19) retrieved 19 August 2024 from <https://phys.org/news/2024-08-specialized-materials-passively-internal-temperature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.