


New supramolecular polymer shows spontaneous unfolding and aggregation

August 20 2024



Kenta Tamaki from Chiba University, Japan (a) Chemical structure of monomer 1 (1_{trans} and 1_{cis}), which incorporates a twistable biphenyl and an azobenzene photoswitch. (b) Energy landscape of self-assembled 1 with representative atomic force microscopy images. Credit: Kenta Tamaki from Chiba University, Japan

In polymers, the competition between the folding and aggregation of chains, both at an individual level and between chains, can determine the

mechanical, thermal, and conductive properties of such materials. Understanding the interplay of folding and aggregation presents a significant opportunity for the development and discovery of polymeric materials with tailored properties and functionalities.

This also holds true for non-covalent counterparts of conventional covalent polymers, i.e., [supramolecular polymers](#) (SPs). SPs are expected to have practical applications as novel stimuli-responsive polymer materials. Most SPs have a monotonous one-dimensional linear structure that tends to cause interchain aggregation, but there are very few reports of SPs that can form various higher-order structures through main chain folding. The development of an SP that exhibits both intrachain folding and interchain aggregation would provide a new guideline for creating novel SP materials whose properties can be controlled by higher-order structures.

A study [published](#) in the *Journal of the American Chemical Society* on July 25, 2024, reported a new folded SP that spontaneously undergoes interchain aggregation and converts into crystalline aggregates. With the help of atomic force microscopy (AFM), the research team has demonstrated the relationship between unfolding and aggregation. The study was led by Professor Shiki Yagai from Chiba University, with Kenta Tamaki, a doctoral course student at the Graduate School of Science and Engineering at Chiba University, as the first author.

"Originally, we found a monomer structure that polymerized in a spiral shape. This time, we partially changed the structure of the unit that drives the polymerization of the monomer to investigate the monomer-polymer relationship. To our surprise, we observed a phenomenon where the spiral spontaneously unfolds, and the different chains bundle together. We then incorporated a photo-switchable molecule so that this 'spontaneous' phenomenon could occur at 'arbitrary timing' through light, which provides the background for our research," says Prof. Yagai,

speaking of the inspiration behind this study.

To design the new system, the team opted for twistable biphenyl and photoresponsive azobenzene units as a core, which self-assembled into the desired SPs. The SPs initially formed in a folded state slowly underwent rearrangement in internal molecular order over half a day and aggregated to a crystalline state. The inclusion of azobenzene units in the SPs led to photoinduced unfolding, which significantly accelerated the process by loosening the intrachain stabilization between folded loops.

The researchers observed that when the folded SP solution was left to stand at 20°C for several days, the polymers spontaneously underwent structural transition and precipitated. When the precipitate was visualized using AFM, they observed a unique intermediate state that appeared to be a coalescence of curved chains en route to the unified straight fibril structures. This intriguing image reminded the researchers of the interchain aggregation often observed in biological systems when proteins misfold, leading to amyloid fibril formation.

Furthermore, the team revealed the reason behind this structural transformation. This included intrachain molecular ordering due to [conformational changes](#) in the biphenyl unit and interchain ordering from the alignment of the aliphatic tails covering the exterior of the main chains. This mechanism is similar to the crystallization of conventional covalent polymers. The team corroborated this mechanism using the photoisomerization of the azobenzene unit. When they irradiated UV light to the folded SP solution to induce conformational changes in the azobenzene units, the unfolding of the main chain immediately occurred, and interchain aggregation was significantly accelerated.

Overall, this study opens unforeseen perspectives on the folding and [aggregation](#) phenomenon. The mesoscale SPs formed via self-assembly

of a large number of molecules can serve as a useful model system to examine the dynamics between individual main chains at a molecular level. This, in turn, opens up new avenues for innovation in trans-scale materials science.

"These phenomena have traditionally been investigated using spectroscopic or macroscopic observations, reflecting the averaged behavior of the whole system. Therefore, the construction of more observable mesoscale models is expected to contribute significantly to the advancement of materials science. We are hopeful that these insights can encourage the development of meso-scale molecular assemblies with meaningful higher-order structures," concludes Prof. Yagai.

More information: Kenta Tamaki et al, Photoresponsive Supramolecular Polymers Capable of Intrachain Folding and Interchain Aggregation, *Journal of the American Chemical Society* (2024). [DOI: 10.1021/jacs.4c07878](https://doi.org/10.1021/jacs.4c07878)

Provided by Chiba University

Citation: New supramolecular polymer shows spontaneous unfolding and aggregation (2024, August 20) retrieved 20 August 2024 from <https://phys.org/news/2024-08-supramolecular-polymer-spontaneous-unfolding-aggregation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.