


How plant coverage is affecting the Arctic carbon cycle

September 4 2024



Researchers at Toolik Field Station. Credit: Adrian Rocha

Researchers at Columbia University's Department of Earth and Environment Science have discovered new implications for the Arctic carbon cycle in the face of climate change. Their paper, [published](#) in *Communications Biology*, shows how differing plant coverage levels affect the region's carbon sink-to-source transition threshold.

One of the most visible effects of climate change in the Arctic is increasing shrub cover and size across the region. This process, known as "shrubification," has scientists concerned about the local [carbon cycle](#). Elizabeth Min and her team investigated the response of carbon in the tussock tundra ecosystem when faced with differing vegetation coverage, temperatures and [light](#) exposures.

To test the influence of shrubs on the carbon cycle, the team created two plots in Alaska that excluded animals. The first, near Nome, had greater plant cover than the second site near Toolik Lake. Throughout changing [environmental conditions](#), the team tracked the progress of the carbon cycle at these two locations, checking to see whether and how the carbon cycle was impacted at each site.

The team discovered that the threshold at which the area would switch from sink to source was heavily influenced by the plant coverage. Areas with higher plant coverage become a carbon source at higher temperatures with low light and [lower temperatures](#) with high light. Areas with less plant coverage become a [carbon source](#) at low light with high temperatures and high light with low temperatures.

These results show that shrub presence does have a significant effect on the carbon cycle. As a result, a warming tundra growing more shrub cover could be releasing more carbon than it is absorbing, further contributing to regional warming.

More information: Elizabeth Min et al, The give and take of Arctic greening: differential responses of the carbon sink-to-source threshold to light and temperature in tussock tundra may be influenced by vegetation cover, *Communications Biology* (2024). [DOI: 10.1038/s42003-024-06600-z](#)

Provided by National Science Foundation

Citation: How plant coverage is affecting the Arctic carbon cycle (2024, September 4) retrieved 6 September 2024 from <https://phys.org/news/2024-09-coverage-affecting-arctic-carbon.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.