

# Genome analyses show melanins are particularly important for lichens

September 6 2024

---



The new rod lichen *Toniniopsis dissimilis*, whose genome was sequenced for the first time. Credit: Andreas Beck, SNSB - Botanische Staatssammlung München

A crust-like miniature dot lichen recently discovered in Bavaria shows lots of ability to protect itself from the sun and herbivores. An

international team of SNSB researchers found certain genes in the sequenced lichen genome that are responsible for the production of melanins.

As in humans, these are able to absorb and reflect UV light as a protection against harmful solar radiation. The results of the study were [published](#) in the journal *Genes*.

The dot [lichen](#) *Toniniopsis dissimilis* was only recently discovered and scientifically described as a new species in the Allgäu Alps. Like almost all lichens, it produces so-called secondary lichen compounds. Little is known about the function of these metabolic products. However, some of them, produced by the so-called polyketide synthases, are known to be ecologically and pharmaceutically important, for example melanins.

An international team of researchers from the Bavarian State Collections of Natural History (SNSB) has now found evidence in the [genome](#) of *Toniniopsis dissimilis* that an unusually large proportion of its polyketide synthases are likely responsible for the production of melanins. As in [human skin](#), these mostly dark brown to black pigments protect lichens from a harm of excessive sunlight.

The researchers were particularly surprised by the large number of polyketide synthases involved in [melanin](#) biosynthesis in *Toniniopsis dissimilis*.

"Although *Toniniopsis dissimilis* has by far the lowest number of so-called type 1 polyketide synthases compared to other analyzed lichen genomes, two thirds of these are involved in the production of melanins," says Julia Gerasimova, the first author of the study.

"This suggests a particular importance of melanins for this lichen species, which grows in light forests and is an indicator of a healthy,

diverse and natural tree population. In such an environment, there is quite strong sunlight at times, so melanins probably help to protect from the sun."



The habitat of the new rod lichen *Toniniopsis dissimilis* in the near-natural forests of the Bavarian Alps. Credit: Andreas Beck, SNSB - Botanische

Staatssammlung München

The purpose of melanins is presumably not limited to protection against harmful UV radiation. These pigments are also known to repel herbivores due to their unappealing taste.

"In such near-natural forests, where *Toniniopsis dissimilis* is commonly found, there is a high number of animals that also feed on lichens, such as snails and mites. Preventing them from being eaten is therefore vital. Thus, the melanins probably also have the important role in reducing feeding pressure," says Andreas Beck, botanist and mycologist at the Bavarian State Collection for Botany of the SNSB (Botanische Staatssammlung München).

The genome of *Toniniopsis dissimilis* was sequenced by the SNSB's own genomics laboratory, the Genomics Core Facility. The newly sequenced genome can be used as a reference for further research on lichens. These studies once again will contribute to a better understanding of lichen metabolism and its great hidden potential.

**More information:** Julia V. Gerasimova et al, De Novo Genome Assembly of *Toniniopsis dissimilis* (Ramalinaceae, Lecanoromycetes) from Long Reads Shows a Comparatively High Composition of Biosynthetic Genes Putatively Involved in Melanin Synthesis, *Genes* (2024). [DOI: 10.3390/genes15081029](https://doi.org/10.3390/genes15081029)

Provided by The Bavarian Natural History Collections

Citation: Genome analyses show melanins are particularly important for lichens (2024,

September 6) retrieved 6 September 2024 from <https://phys.org/news/2024-09-genome-analyses-melanins-important-lichens.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.