


Global study shows demersal fishing affects ocean floor carbon storage

September 5 2024, by Louise Jack



Spatial distribution of studies included in the meta-analysis on global continental

margins. Credit: *Fish and Fisheries* (2024). DOI: 10.1111/faf.12855

Scientists are growing increasingly concerned about the impact demersal fishing is having on climate change and the preservation of organic carbon stored in the seabed.

According to a new study, co-authored by Dr. Marija Sciberras, an Associate Professor at The Lyell Center, a Global Research Institute for Earth and [marine sciences](#) at Heriot-Watt University, newly deposited organic matter on the [seabed](#) was significantly reduced due to seafloor fishing activities, suggesting that, in the short term, trawling may accelerate the process that turns organic carbon to CO₂.

"The study emphasizes the necessity for tailored management approaches if seabed carbon is to be protected effectively," says Dr. Marija Sciberras.

The [international study](#), published in the journal *Fish and Fisheries*, analyzed the findings of 71 independent studies to create a global database that harmonizes existing knowledge to explore the complex relationship between demersal fishing and seabed carbon.

The globally relevant research contributes valuable insights and impact estimates, which are essential for informing decision-making and the formulation of regulatory measures aimed at minimizing the adverse effects of demersal fishing on [marine environments](#).

Dr. Sciberras said, "Seafloor organic carbon plays a key role in carbon sequestration and storage, and the impact from fishing disturbance was found to vary significantly with local hydrodynamics and environmental conditions such as primary productivity.

"It is important to understand that the effects of demersal fishing on carbon are not the same everywhere. The study emphasizes the necessity for tailored management approaches if seabed carbon is to be protected effectively."

The long-term implications on seabed [carbon sequestration](#) and storage processes, particularly the disturbance of older carbon deeper than 2 cm (including refractory and semi-labile carbon), remain uncertain, as the overall effect on total organic carbon content was more variable among regions, highlighting a key knowledge gap.

More information: Justin Tiano et al, Global meta-analysis of demersal fishing impacts on organic carbon and associated biogeochemistry, *Fish and Fisheries* (2024). [DOI: 10.1111/faf.12855](https://doi.org/10.1111/faf.12855)

Provided by Heriot-Watt University

Citation: Global study shows demersal fishing affects ocean floor carbon storage (2024, September 5) retrieved 6 September 2024 from <https://phys.org/news/2024-09-global-demersal-fishing-affects-ocean.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--