

# Just how rare is a rare-colored lobster? Scientists say answer could be under the shell

September 7 2024, by Patrick Whittle

---



A two-toned lobster is seen in a marine sciences lab at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. The rare color scheme is the result of two eggs fusing together to create a one-in-50 million lobster. Credit: AP Photo/Robert F. Bukaty

Orange, blue, calico, two-toned and ... cotton-candy colored?

Those are all the hues of [lobsters](#) that have showed up in fishers' traps, supermarket seafood tanks and scientists' laboratories over the last year. The funky-colored crustaceans inspire headlines that trumpet their rarity, with particularly uncommon baby blue-tinted critters described by some as "cotton-candy colored" often estimated at 1 in 100 million.

A recent wave of these curious colored lobsters in Maine, New York, Colorado and beyond has scientists asking just how atypical the discolored arthropods really are. As is often the case in science, it's complicated.

Lobsters' color can vary due to genetic and dietary differences, and estimates about how rare certain colors are should be taken with a grain of salt, said Andrew Goode, lead administrative scientist for the American Lobster Settlement Index at the University of Maine. There is also no definitive source on the occurrence of lobster coloration abnormalities, scientists said.

"Anecdotally, they don't taste any different either," Goode said.

In the wild, lobsters typically have a mottled brown appearance, and they turn an orange-red color after they are boiled for eating. Lobsters can have color abnormalities due to mutation of genes that affect the proteins that bind to their shell pigments, Goode said.



A blue lobster is seen in a marine sciences lab at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty

The best available estimates about lobster coloration abnormalities are based on data from fisheries sources, said marine sciences professor Markus Frederich of the University of New England in Maine. However, he said, "no one really tracks them."

Frederich and other scientists said that commonly cited estimates such as 1 in 1 million for blue lobsters and 1 in 30 million for orange lobsters should not be treated as rock-solid figures. However, he and his students are working to change that.



Frederich is working on noninvasive ways to extract genetic samples from lobsters to try to better understand the [molecular basis](#) for rare shell coloration. Frederich maintains a collection of strange-colored lobsters at the university's labs and has been documenting the progress of the offspring of an orange lobster named Peaches who is housed at the university.



Blue and two-toned lobsters are seen in a marine sciences lab at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty

Peaches had thousands of offspring this year, which is typical for lobsters. About half were orange, which is not, Frederich said. Of the

baby lobsters that survived, a slight majority were regular colored ones, Frederick said.

Studying the DNA of atypically colored lobsters will give scientists a better understanding of their underlying genetics, Frederick said.

"Lobsters are those iconic animals here in Maine, and I find them beautiful. Especially when you see those rare ones, which are just looking spectacular. And then the scientist in me simply says I want to know how that works. What's the mechanism?" Frederick said.

He does eat lobster but "never any of those colorful ones," he said.

One of Frederick's lobsters, Tamarind, is the typical color on one side and orange on the other. That is because two lobster eggs fused and grew as one animal, Frederick said. He said that's thought to be as rare as 1 in 50 million.



A baby lobster is seen in a jar at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty





Thousands of eggs are attached to the underside of a lobster in a marine science lab at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty



A calico lobster is seen in a marine sciences lab at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty





The tail of a calico lobster is inspected the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty



Marine sciences professor Markus Frederich holds Tamarind, a two-toned lobster he is studying at the University of New England, Thursday, Sept. 5, 2024, in Biddeford, Maine. Credit: AP Photo/Robert F. Bukaty

Rare lobsters have been in the news lately, with an orange lobster turning up in a Long Island, New York, Stop & Shop last month, and another appearing in a shipment being delivered to a Red Lobster in Colorado in July.

The odd-looking lobsters will likely continue to come to shore because of the size of the U.S. lobster fishery, said Richard Wahle, a longtime University of Maine lobster researcher who is now retired. U.S. fishers have brought more than 90 million pounds (40,820 metric tons) of lobster to the docks in every year since 2009 after only previously

reaching that volume twice, according to federal records that go back to 1950.

"In an annual catch consisting of hundreds of millions of lobster, it shouldn't be surprising that we see a few of the weird ones every year, even if they are 1 in a million or 1 in 30 million," Wahle said.

© 2024 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Just how rare is a rare-colored lobster? Scientists say answer could be under the shell (2024, September 7) retrieved 7 September 2024 from <https://phys.org/news/2024-09-rare-lobster-scientists-shell.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--