


Plant e-skin enables continuous, non-invasive monitoring for precision farming

September 4 2024



Fabrication and characteristics of the plant e-skin. Credit: *Science Advances* (2024). DOI: 10.1126/sciadv.adk7488

Precision farming is an emerging field that uses analysis tools such as sensors to collect data on crop plant conditions, such as temperature,

humidity, moisture, and nutrient levels. The data collected from these sensors can help to optimize crop yield and allow farmers to promptly respond to changes in plant environments like heat and increased rainfall.

Advancing plant sensor technologies is a multidisciplinary team of researchers from NUS that has created a first-of-its-kind all-organic plant e-skin for continuous and non-invasive plant [monitoring](#).

Complementing this innovation, the team also developed a digital-twin plant monitoring system to translate the data collected from the plant e-skin into a visualization of the plant's physical characteristics in real-time, paving the way for efficient decision-making in crop breeding and precision farming.

The NUS team is jointly led by Associate Professor Chengkuo Lee from the Department of Electrical and Computer Engineering under the NUS College of Design and Engineering, and Assistant Professor Eunyoung Chae from the Department of Biological Sciences under the NUS Faculty of Science.

The [fabrication process](#) and promising results from testing the plant e-skin and digital-twin platform were [published](#) in *Science Advances*.

Innovative e-skin for plant monitoring

Commercially available plant sensors are often rigid, heavy and opaque, which may cause damage to the plants and affect plant growth when mounted onto the plants. Current devices are also unable to provide customized, continuous and [accurate data](#) about the plant's physical conditions.



The innovative plant e-skin is ultrathin and transparent, allowing it to be seamlessly attached to the surface of plant leaves to collect data on key plant parameters, such as temperature and strain without hindering the plant's natural processes or causing physical damage to the plant. Credit: National University of Singapore

To resolve these limitations, the NUS research team designed the innovative plant e-skin to be biocompatible, transparent and stretchable using commercially available organic materials. The ultrathin plant e-skin has a thickness of 4.5 micrometers, which is about 10 times thinner than the diameter of a strand of human hair, which is around 50 micrometers.

The e-skin comprises an electrically conductive layer, sandwiched between two transparent substrate layers. The incorporation of these layers renders the plant e-skin remarkably transparent, allowing more

than 85% of light to pass through within the [wavelength range](#) of 400 to 700 nanometers, perfectly aligning with the light absorbance wavelength needed for plants to produce energy.

The team demonstrated that the plant e-skin could perform reliably on leaves exposed to stress conditions, such as heat and lack of water. The versatile plant e-skin is also compatible for different types of plant leaves and various plant growth environments like rainfall.


Different types of sensors—for measuring strain and temperature—are patterned on the e-skin using simple lithography. The e-skin is then placed on the surface of plant leaves to perform the monitoring of key parameters.

When designing the strain sensor, the researchers took into consideration the requirements needed to monitor the growth of small and delicate leaves while protecting the plant.

Using their novel plant e-skin, the NUS team successfully monitored the growth pattern of Field Mustard leaves, showing how the sensor can conform to the surface of the leaf for accurate monitoring, and seamlessly integrated onto plant leaves without causing any observable adverse damage.

In addition, the e-skin temperature sensor enables reliable and non-invasive monitoring of the surface temperature of plant leaves.

"The ability to measure leaf surface temperature is a unique feature of our plant e-skin that is currently not found in conventional temperature sensors. This feature allows us to collect data to understand how to mitigate heat stress on leaves caused by long-term exposure to heat, making it beneficial for precision farming of economically valuable crops," said Assoc Prof Lee.



Assoc Prof Chengkuo Lee (right), Asst Prof Eunyoung Chae (centre) and Ms Yanqin Yang (left) developed an innovative plant e-skin and digital-twin platform to facilitate efficient decision-making in crop breeding and precision farming. Credit: National University of Singapore

Digital-twin system for precision farming

To complement the plant e-skin, the NUS research team developed a digital-twin plant monitoring system to visualize the plant surface environment in real time, providing an intuitive and vivid platform for plant monitoring.

Data collected from the [sensors](#) on the plant e-skin is processed to generate a digital output, which is used to create a digital-twin of the plant that mirrors the physical conditions of the real plant. Using

temperature as a test condition, the NUS team demonstrated that the digital-twin system can instantly translate temperature fluctuations on the plant's leaf surface into color changes on the plant's digital-twin, for users to visualize the changes in plant surface temperature.

The innovative digital-twin plant monitoring system can help facilitate precise and timely adjustment to plant environments, such as regulating the temperature of an indoor farming facility.

"Besides [temperature](#), this digital-twin plant system can be utilized to continuously and non-invasively monitor physical characteristics of plants under various environments. This would enable quick analysis of such properties of new plant varieties, which has the potential to accelerate crop breeding processes," said Asst Prof Chae.

In the next phase of their work, the NUS researchers hope to integrate more functions into the plant [e-skin](#), such as a humidity sensor and chemical sensor, and couple them with the digital-twin plant system to enable a more comprehensive monitoring of the plant's physical characteristics.

More information: Yanqin Yang et al, All-organic transparent plant e-skin for noninvasive phenotyping, *Science Advances* (2024). [DOI: 10.1126/sciadv.adk7488](https://doi.org/10.1126/sciadv.adk7488)

Provided by National University of Singapore

Citation: Plant e-skin enables continuous, non-invasive monitoring for precision farming (2024, September 4) retrieved 5 September 2024 from <https://phys.org/news/2024-09-skin-enables-invasive-precision-farming.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.