

# Double Trouble for the Big Island of Hawaii: Flossie and Quakes

14 August 2007



Image credit: NASA/Jesse Allen/MODIS Rapid Response team

stretch out over a larger area. Forecasters at KHNL-TV are calling for rainfall from 5 to 10 inches and very large surf up to 20 feet.

The earthquake which registered 5.3 on the Richter scale and hit at 7:38 p.m. HST on Monday the 13th, was centered 25 miles south of Hilo, Hawaii. That area is mainly rural with about 150,000 people, many of which live on the west or northeast side of the big island.

Source: NASA

On Tuesday, August 14, 2007, the Big Island of Hawaii will feel Hurricane Flossie's effects after experiencing an earthquake the night before.

At 11:00 a.m. EDT, August 14, Hurricane Flossie was downgraded to a category two storm. It is on course to brush the Big Island of Hawaii today. Flossie has maximum sustained winds of 110 mph. At 5:00 a.m. EDT, Flossie was 260 miles south-southeast of Hilo, Hawaii moving west-northwest at 15 mph.

The Moderate Resolution Imaging Spectroradiometer (MODIS) on NASA's Aqua satellite captured this image of Hurricane Flossie on August 13 at 23:10 UTC (1:10 p.m. HST), as it swirled in the Pacific Ocean, approaching Hawaii.

According to local television station meteorologists at KHNL-TV, Channel 8, Hurricane Flossie's eye was starting to cloud over, indicating a sign of weakening. However, when a storm fills over, they

APA citation: Double Trouble for the Big Island of Hawaii: Flossie and Quakes (2007, August 14)  
retrieved 22 September 2021 from <https://phys.org/news/2007-08-big-island-hawaii-flossie-quakes.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*