

Planting carbon deep in the earth -- rather than the greenhouse

November 26 2007

Storing carbon dioxide deep below the earth's surface could be a safe, long-term solution to one of the planet's major contributors to climate change.

University of Leeds research shows that porous sandstone, drained of oil by the energy giants, could provide a safe reservoir for carbon dioxide. The study found that sandstone reacts with injected fluids more quickly than had been predicted - such reactions are essential if the captured CO₂ is not to leak back to the surface.

The study looked at data from the Miller oilfield in the North Sea, where BP had been pumping seawater into the oil reservoir to enhance the flow of oil. As oil was extracted, the water that was pumped out with it was analysed and this showed that minerals had grown and dissolved as the water travelled through the field.

Significantly, PhD student Stephanie Houston found that water pumped out with the oil was especially rich in silica. This showed that silicates, usually thought of as very slow to react, had dissolved in the newly-injected seawater over less than a year. This is the type of reaction that would be needed to make carbon dioxide stable in the pore waters, rather like the dissolved carbonate found in still mineral water.

The study gives a clear indication that carbon dioxide sequestered deep underground could also react quickly with ordinary rocks to become assimilated into the deep formation water.

The work was supervised by Bruce Yardley, Professor in the School of Earth and Environment at the University, who explained: “If CO₂ is injected underground we hope that it will react with the water and minerals there in order to be stabilized. That way it spreads into its local environment rather than remaining as a giant gas bubble which might ultimately seep to the surface.

“It had been thought that reaction might take place over hundreds or thousands of years, but there’s a clear implication in this study that if we inject carbon dioxide into rocks, these reactions will happen quite quickly making it far less likely to escape.”

Although extracting CO₂ from power stations and storing it underground has been suggested as a long-term measure for tackling climate change, it has not yet been put to work for this purpose on a large scale. “There is one storage project in place at Sleipner, in the Norwegian sector of the North Sea, and some oil companies have actually used CO₂ sequestration as a means of pushing out more oil from existing oilfields,” said Prof Yardley.

In the UK the Prime Minister has recently announced a major expansion of energy from renewable sources and the launch of a competition to build one of the world's first carbon capture and storage plants. The Leeds study suggests the technique has long-term potential for safely storing this major by-product of our power stations, rather than allowing it to escape and further contribute to global warming.

Source: University of Leeds

Citation: Planting carbon deep in the earth -- rather than the greenhouse (2007, November 26) retrieved 26 April 2024 from <https://phys.org/news/2007-11-carbon-deep-earth-greenhouse.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.