

NASA MidSTAR-1 successful technologies may be revolutionary

February 19 2008



Dr. Billy R. Smith Jr., director of the USNA Small Satellite Program and MidSTAR-1 program manager, inspects MidSTAR-1 for damage after vibration testing at the Naval Research Laboratory. Credit: USNA

Two new technologies launched onboard a U.S. Naval Academy satellite called MidSTAR-1 have proven successful in their tests in space. One technology is a sensor that can check for harmful chemicals and the other is a special "film" that can control heat.

These technologies were collaboratively developed between NASA's

Goddard Space Flight Center, Greenbelt, Md.; NASA's Ames Research Center, Moffett Field, Calif.; and Eclipse Energy Systems Inc. of various U.S. locations, respectively.

The nano chemsensor unit (NCSU), can sense chemicals and contaminants that may be harmful to astronauts, as well as a wide range of scientifically interesting compounds. "The chemical nanosensor is like a smoke detector that would fit on the end of an eraser," said Dan Powell, lead nanotechnologist for Goddard. The NCSU was developed by Dr. Jing Li of Ames. Goddard was instrumental in identifying applications, as well as facilitating this first-ever demonstration of applied nanotechnology in space, on-board MidStar-1.

The NCSU's successful operation aboard MidSTAR-1 proved that it senses target chemicals both accurately and repeatedly in space.

The NCSU uses a network of tiny carbon nanotubes that are about 10,000 times thinner than a human hair, to sense various gases and their concentrations. These nanosensors are developed for NASA missions, such as cabin air monitoring for a crew exploration vehicle, in-flight fuel leak detection, planetary exploration, and earth science observation. This experiment proved that the nanosensors is robust that can undergo the vigorous launch process and can work in the space environment, such as microgravity, radiation, temperature variation, and vacuum.

The sensor in orbit was designed to detect trace amounts of nitrogen dioxide, a common air pollutant. This capability, when combined with the unit's extremely small size, power consumption and heat output makes the NCSU useful to many industries. It could find its way into homeland security applications such as explosives trace detectors.

The NCSU also can be used to measure nitrogen dioxide levels in the upper atmosphere. "If you had a sensor like this, the size of a postage

stamp, you could lick and stick it to monitor chemicals and environmental constituents anywhere," Powell said. "NASA wants to put this in the International Space Station to monitor contaminants, and the Federal Aviation Administration may build hand-held NCSU systems so aircraft crews could detect explosives and/or harmful gases in aircraft," Powell said.

A relatively cheap integrated NCSU system capable of being stuck to any surface would have a wireless radio transmitter, ad-hoc network, and tiny solar cell or battery power supply about the size of a quarter. It could monitor environments and relay detection data for months or years before a replacement would be needed.

Since MidSTAR-1 was launched in March 2007, the sensor has been improved and can now detect and identify more than 15 different chemicals, including ammonia, hydrogen peroxide, hydrogen chloride, and formaldehyde.

Second-generation NCSUs being developed for the space station are capable of selectively sensing several chemical compounds simultaneously and may be hardwired to a permanent power- and data-transmission system for continuous, long-term monitoring of a wide array of environments.

Whether wireless or hard-wired, the systems could relay environmental status, contamination or threat data from multiple sites to centralized monitoring-stations located just about anywhere in the world, including to and from spacecraft and orbiting satellites.

The second successful revolutionary experiment on MidSTAR-1 is a variable emissivity film. The flight onboard MidSTAR-1 demonstrated how a special film, no thicker than an empty plastic sandwich bag, can control the temperature on a spacecraft. The technology had not been

demonstrated successfully in space until MidSTAR-1. Until now, it has been difficult to make a film that could survive the harsh conditions of space.

Electrochromics is the science behind the film, which could be applied to outer surface of a spacecraft. By controlling voltage differential across the film, it is possible to change the film's ability to radiate waste heat into space or keep heat in a spacecraft. Very little power is needed, and the process is reversible.

Used on a spacecraft, the film can reduce launch weight, make future thermal design easier, reduce power consumption, and allow more accurate control of the spacecraft's inside temperature. The weight savings could be used to accommodate additional payloads, scientific instruments and astronauts. The film also could be used on satellites, space antennas, spacesuits and visors and robotic systems that will be placed on the Moon and other planets in the future.

There are many applications for this technology beyond space. It could be used to cover buildings and homes to reduce solar heat gain in the summer and decrease heat loss in the winter. One day, it could be possible to control the tint of a car window with the press of a button.

The variable emissivity film was manufactured by Eclipse Energy Systems Inc., of St. Petersburg, Fla., with joint financial sponsorship from Goddard and the U.S. Air Force.

Neither of the experiments would have reached space if not for the MidSTAR program. Billy Smith, Director of the Small Satellite Program and manager of the MidSTAR program at the U.S. Naval Academy, Annapolis, Md., made it possible to launch these experiments on a limited budget.

"MidSTAR is the seventh piece of hardware that the small satellite program has flown. It's by far the most sophisticated and most ambitious," Smith said. "It's proven to be the most productive and all four experiments operating in space are producing excellent data."

Naval Academy students built the MidSTAR-1 satellite and placed the experiments onboard. The school currently controls the satellite and collects data, transferring it to Eclipse and other users.

Naval Academy students are building another satellite, MidSTAR-2. Work will continue through 2008 under the auspices of the U.S. Defense Department. MidSTAR-2 will carry four Goddard experiments into space in 2011 to look at different parts of Earth's atmosphere, gamma rays and solar winds.

Source: NASA's Goddard Space Flight Center

Citation: NASA MidSTAR-1 successful technologies may be revolutionary (2008, February 19) retrieved 19 September 2024 from

<https://phys.org/news/2008-02-nasa-midstar-successful-technologies-revolutionary.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.