

# First complete image created of Himalayan fault, subduction zone

11 September 2009



The Hi-CLIMB (Himalayan-Tibetan Continental Lithosphere during Mountain Building) seismic station at the Mt. Everest base camp in Tibet. (photo courtesy of OSU's John Nabelek)

An international team of researchers has created the most complete seismic image of the Earth's crust and upper mantle beneath the rugged Himalaya Mountains, in the process discovering some unusual geologic features that may explain how the region has evolved.

Their findings, published this week in the journal *Science*, help explain the formation of the world's largest mountain range, which is still growing.

The researchers discovered that as the Indian and Eurasian tectonic plates collide, the Indian lower crust slides under the Tibetan crust, while the upper mantle peels away from the crust and drops down in a diffuse manner.

"The building of Tibet is not a simple process," said John Nabelek, an Oregon State University geophysicist and lead author on the *Science* study. "In part, the mountain building is similar to pushing dirt with a bulldozer except in this case, the Indian sediments pile up into a wedge that is the lesser

Himalayan mountains.

"However, an important component of the [mass transfer](#) from the upper crust of India to the Himalayas also occurs at depth through viscous processes, while the lower crust continues sliding intact farther north under the Tibet plateau," Nabelek added.

The findings are important because there has been clear scientific consensus on the boundaries and processes for that region's [tectonic plates](#). In fact, the piecemeal images gathered by previous research have led to a series of conflicting models of the lithospheric structure and plate movement.

In this study, the international research team - called Hi-CLIMB (Himalayan-Tibetan Continental Lithosphere during Mountain Building) - was able to create new in-depth images of the Earth's structure beneath the Himalayas.

The interface between the subducting Indian plate and the upper Himalayan and Tibetan crust is the Main Himalayan thrust fault, which reaches the surface in southern Nepal, Nabelek said. The new images show it extends from the surface to mid-crustal depths in central Tibet, but the shallow part of the fault sticks, leading to historically devastating mega-thrust earthquakes.

"The deep part is ductile," Nabelek said, "and slips in a continuous fashion. Knowing the depth and geometry of this interface will advance research on a variety of fronts, including the interpretation of strain accumulation from GPS measurements prior to large earthquakes."



previously been completely profiled."

Source: Oregon State University ([news](#) : [web](#))

Soma Sapkota, of Nepal's Department of Mines and Geology, at a seismic station in barren, wind-swept central Tibet. (photo courtesy of OSU's John Nabelek)

Nabelek, an associate professor in OSU's College of Oceanic and Atmospheric Sciences, said the lower part of the Indian crust slides about 450 kilometers under the southern Tibetan plate and the mantle appears to shear off and break into sub-parallel segments.

The researchers found evidence that subduction in the fault zone has been occurring from both the north and south sides - likely at different times in its geologic history.

In this project, funded primarily by the National Science Foundation, the researchers deployed and monitored about 230 seismic stations for a period of three years, cutting across 800 kilometers of some of the most remote terrain in the world. The lowest-elevation station was at 12 meters above sea level in Nepal; the highest, nearly 5,500 meters in Tibet. In fact, 30 of the stations were higher than 5,000 meters, or 16,400 feet.

"The research took us from the jungles of Nepal, with its elephants, crocodiles and rhinos, to the barren, wind-swept heights of Tibet in areas where nothing grew for hundreds of miles and there were absolutely no humans around," Nabelek said. "That remoteness is one reason this region had never

APA citation: First complete image created of Himalayan fault, subduction zone (2009, September 11) retrieved 4 December 2021 from <https://phys.org/news/2009-09-image-himalayan-fault-subduction-zone.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*