

New CO₂ 'scrubber' from ingredient in hair conditioners

March 24 2010



Chemist Robert Perry checks a flask containing an ingredient -- similar to those in shampoos -- that shows promise for capturing carbon dioxide, the main "greenhouse" gas linked to global warming. Credit: GE Global Research

Relatives of ingredients in hair-conditioning shampoos and fabric softeners show promise as a long-sought material to fight global warming by "scrubbing" carbon dioxide (CO₂) out of the flue gases from coal-burning electric power generating stations, scientists reported today at the 239th National Meeting of the American Chemical Society (ACS).

Their report, the first on use of these so-called aminosilicones in [carbon dioxide](#) capture, concluded that the material has the potential to remove 90 percent of CO₂ from simulated flue gas. The new "scrubber" material may be less expensive and more efficient than current technologies for reducing emissions of carbon dioxide, the main "greenhouse" gas linked

to global warming, the scientists say.

Robert Perry, Ph.D., and colleagues pointed out that coal-burning electric power plants are a major source of the carbon dioxide that has been building up in Earth's atmosphere. An estimated 2.8 billion tons of the gas enters the atmosphere each year from the 8,000 coal-fired power plants in the United States alone. Those are among 50,000 coal-fired generating stations worldwide. Perry cited a critical need for practical technology to remove carbon dioxide from flue gases before it enters the atmosphere. The new scrubber material would meet the goal of the U.S. Department of Energy, which funded the research, of developing carbon capture technologies with at least a 90 percent CO₂ capture efficiency.

"We're very excited about this technology that may pave the way for a new process for carbon dioxide capture," Perry said. He is with GE Global Research in Niskayuna, N.Y. "The development of a low-cost solution for CO₂ capture would go a long way in helping to address our clean energy goals. In the future, the gases that come out of power-plant smokestacks will be virtually free of [carbon dioxide emissions](#)."

Perry and colleagues hope to overcome the high costs and inefficiency of current CO₂ capture methods with a new type of aminosilicone, a group of materials widely used in fabric softeners, hair conditioners, and flexible high-temperature plastics. In laboratory-scale tests using a device to simulate flue gas conditions of continuously streaming gas and relevant temperatures, the new material captured more than 90 percent of the CO₂ added to the system.

If future tests at the pilot-scale in a power plant prove successful, the material would be used as part of a larger, active absorber system. In this scenario, the liquid aminosilicone solvent will absorb CO₂ and be transferred to a desorption unit where CO₂ would be removed from the aminosilicone and sequestered. The aminosilicone solvent would be

recycled to react with more CO₂-rich flue gas.

Provided by American Chemical Society

Citation: New CO₂ 'scrubber' from ingredient in hair conditioners (2010, March 24) retrieved 20 September 2024 from

<https://phys.org/news/2010-03-co2-scrubber-ingredient-hair-conditioners.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.